

### **Test Report**

No. CANHG1201463601

Date: 01 Mar 2012 Page 1 of 6

The following sample(s) was/were submitted and identified on behalf of the clients as: Silicone Brush

SGS Job No. : GZHG1202003275CW - GZ

Supplier:

Date of Sample Received: 21 Feb 2012

Testing Period: 21 Feb 2012 - 01 Mar 2012

Test Requested: Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB),	PASS
Section 30 with amendments and BfR recommendation –Extractable components	
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB),	PASS
Section 30 with amendments-Peroxide value	
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) with amendments, Section 31-Sensorial examination odour and taste test	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, European Commission Regulation (EU) No 10/2011 and BfR recommendation–Lead and Cadmium	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation–Volatile organic matter (VOM)	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation–Organotin content	PASS

Conclusion: When tested as specified, the tested parameters comply with the requirements

stating under German Food, Articles of Daily Use and Feed Code of September 1,

2005(LFGB) with amendments, Section 30 & 31, and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">httm.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability incernation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention of the advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of the exercising all the properties of the finding and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **Test Report**

No. CANHG1201463601

Page 2 of 6

Date: 01 Mar 2012

Signed for and on behalf of

SGS-CSTC Ltd

Alpher Qiu

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">httm.and.for electronic format documents.subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability incommittee in the time of liability in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a stated the results shown in this test report refer only to the sample(s) tested.



Test Report No. CANHG1201463601 Date: 01 Mar 2012 Page 3 of 6

Test Results:

**Test Part Description:** 

Specimen No. SGS Sample ID Description

1 CAN12-014636.001 Black silicone rubber brush (semi-product)

## German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation –Extractable components

Test Requested: As specified by client, to determine Extractable components from Silicone rubber used in

contact with food for compliance with German Food, Articles of Daily Use and Feed Code of

September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation.

Test Method: With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46

(2003) 362.

Simulant Used	<u>Time</u>	<u>Temperature</u>	Max. Permissible	Result of 001	<u>Comment</u>
			<u>Limit</u>		
Distilled water	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)	PASS
3% Acetic Acid (W/V) Aqueous Solution	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)	PASS
10% Ethanol	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)	PASS

Notes:

%w/w = percentage of weight by weight

## German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments—Peroxide value

Test Requested: As specified by client, to determine Peroxide value from Silicone rubber used in contact with

food for compliance with German Food, Articles of Daily Use and Feed Code of September 1,

2005 (LFGB), Section 30 with amendments.

Test Method: With reference to European Pharmacopoeia, 1997, p.173.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">httm.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability incernation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its prediction of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for the content of the content of the company. The company is allowed except in full, without prior written approval of the Company. The company is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a content of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| 198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China | 510663 | t (86–20) 82155555 | f (86–20) 82075113 | www.cn.sgs.com |
| 中国・广州・经济技术开发区科学城科珠路198号 | 邮编: 510663 | t (86–20) 82155555 | f (86–20) 82075113 | e sgs.china@sgs.com



Test Report No. CANHG1201463601 Date: 01 Mar 2012 Page 4 of 6

 Test Item(s)
 Limit
 001

 Peroxide Value
 Absent
 Absent

 Comment
 PASS

## German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) with amendments, Section 31-Sensorial examination odour and taste test

Test Requested : As specified by client, to determine Sensorial examination odour and taste from the submitted

sample used in contact with food for compliance with German Food, Articles of Daily Use and

Feed Code of September 1, 2005 (LFGB), Section 31 with amendments.

Test Method: With reference to DIN10955:2004.

Odour test condition: 23°C 24 hours; Taste test condition: 100°C 0.5hour;

Test media: Distilled water;

No.of panelist: 6

Test Item(s)	<u>Limit</u>	<u>001</u>
Sensorial examination odour (Point scale)	2.5	2.0
Sensorial examination taste (Point scale)	2.5	1.0
Comment		PASS

#### Notes:

Scale evaluation:

- 0: No perceptible odour
- 1: Odour just perceptible (still difficult to define)
- 2: Moderate odour
- 3: Moderately strong odour
- 4: Strong odour

# German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, European Commission Regulation (EU) No 10/2011 and BfR recommendation–Lead and Cadmium

Test Requested: As specified by client, to determine Lead and Cadmium from Silicone rubber used in contact

with food for compliance with German Food, Articles of Daily Use and Feed Code of

September 1, 2005 (LFGB), Section 30 with amendments, European Commission Regulation

(EU) No 10/2011 and BfR recommendation.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions. <a href="http://www.sgs.com/terms</a> e-document. <a href="http://wwww.sgs.com/terms</a> e-document. <a href="http://www.sgs.c

198 Kezhu Road,Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



Test Report No. CANHG1201463601 Date: 01 Mar 2012 Page 5 of 6

Test Method: Total Lead and Cadmium: SGS In-house method (GZTC CHEM-TOP-004-01) acid digestion,

followed by analysis using ICP-OES.

Test Item(s) Limit Unit MDL 001 Cadmium (Cd) ND Absent mg/kg 2 Lead (Pb) ND Absent 2 mg/kg Comment **PASS** 

#### Notes:

- 1. mg/kg = milligram per kilogram of sample
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)
- 4. Permissible Limit is according to Commission Regulation (EU) No 10/2011 of 14 January 2011 and German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31. Lead, Cadmium and their compounds are not listed for the production of plastic materials in contact with food.

# German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation–Volatile organic matter (VOM)

Test Requested: As specified by client, to determine Volatile organic matter (VOM) content from Silicone rubber

used in contact with food for compliance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation.

Test Method: With reference to 60. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 45

(2002) 462 and LFGB § 64 BVL B 80.30.1(EG).

Test condition: 100°C, 0.5 hour

 Test Item(s)
 Limit
 Unit
 MDL
 001

 Volatile organic matter (VOM)
 0.5
 % (w/w)
 0.1
 ND

 Comment
 PASS

#### Notes:

- 1. %w/w = percentage of weight by weight
- 2. MDL=Method Detection Limit
- ND= Not Detected(less than MDL)

# German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments and BfR recommendation—Organotin content

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions. <a href="http://www.sgs.com/terms</a> e-document. <a href="http://wwww.sgs.com/terms</a> e-document. <a href="http://www.sgs.c

198 Kezhu Road,Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



Test Report No. CANHG1201463601 Date: 01 Mar 2012 Page 6 of 6

Test Requested: As specified by client, to determine Organotin content from Silicone rubber used in contact with

food for compliance with German Food, Articles of Daily Use and Feed Code of September 1,

2005 (LFGB), Section 30 with amendments and BfR recommendation.

Test Method: With reference to ISO 17353:2004, followed by analysis using GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Monobutyl tin (MBT)	Absent	mg/kg	0.02	ND
Dibutyl tin (DBT)	Absent	mg/kg	0.02	ND
Tributyl tin (TBT)	Absent	mg/kg	0.02	ND
Monooctyl tin (MOT)	Absent	mg/kg	0.02	ND
Tetrabutyl tin (TTBT)	Absent	mg/kg	0.02	ND
Dioctyl tin (DOT)	Absent	mg/kg	0.02	ND
Triphenyl tin (TPhT)	Absent	mg/kg	0.02	ND
Comment				PASS

#### Notes:

- 1. mg/kg = milligram per kilogram
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)

#### Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">httm.and.for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability incommittee in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com