

# **EMC TEST REPORT OF EN 62479**

**Product:** bluetooth anti-lost

Model: AT01

Report No.: HTT150905061H

Issued Date: Sep.23,2015

Issued for:

Issued By:

Shenzhen HTT Technology Co.,Ltd.
7F,Guangfu Building,Baoyuan Road,Xixiang,Baoan District,
Shenzhen,Guangdong,China

Date of Test: Sep.16,2015 ~ Sep.23,2015

Date of Issue: Sep.23,2015

Tested By Jack Chan

Jack Chen



### Note:

The results detailed in this test report relate only to the specific sample(s) tested. It is the Application's responsibility to ensure that all production units are manufactured with equivalent EMC characteristics. This report is not to be reproduced except in full, without written approval from HTT Technology.



## **Table of Contents**

1. Client Information	3
2. General Description of E.U.T.	3
3. Test Facility	
·	
4. Technical Requirements Specification	5
5. Test Data	f



### 1. Client Information

Application:	
Address of Application:	
Manufacturer:	
Address of Manufacturer:	

2. General Description of E.U.T.

Product Name:	bluetooth anti-lost
Model:	AT01
Additional Model:	AT02、AT03、AT04、AT05、AT06、AT07、AT08、AT09、AT10、AT11、AT12、AT13、AT14、AT15、AT16、AT17、AT18、AT19、AT20、AT21、AT22、AT23、AT24、AT25、AT26、AT27、AT28、AT29、AT30
Trade Mark:	N/A
Frequency range:	2402 MHz-2480 MHz (Channel Number: 40, Channel Frequency=2402+2(K-1), K=1, 2, 340)
Channel Spacing	2MHz
Modulation Technology	GFSK
Module Channel	40
Bluetooth Version	BT V4.0

Model Difference:	The	models	above	are	identical	in	interior	structure,	electrical	circuits	and
	components, and just model names are different for the marketing requirement.										

Note: N.A. means Not Applicable;

E.U.T. means Equipment Under Test



## 3. Test Facility

Name:	Shenzhen HTT Technology Co.,Ltd.
Address:	7F,Guangfu Building,Baoyuan Road,Xixiang,Baoan District,Shenzhen,Guangdong,China



**4. Technical Requirements Specification** 

Test Requirement	EN 62479:2010				
Test Method	EN 62479:2010				
General Description	Assessment of the compliance of low-power electronic and electrical equipment with				
of Applied Standards	the basic restrictions related to human exposure to electromagnetic fields(10MHz to				
	300GHz)				
Limit	20mW				
Result	Pass				



### 5. Test Data

Bluetooth Mode (GFSK)

Channel	Frequency (MHz)	Output Power (dBm)	EIRP (mW)	Limit (mW)	Result
Lowest	2402	1.28	1.34	20	PASS
Middle	2441	1.88	1.54	20	PASS
Highest	2480	1.52	1.42	20	PASS