

**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 1 of 13

Applicant:

Address:

Report on the submitted sample(s) said to be:

Sample Name: Bluetooth earbud sports shape

Sample Model: 170011

Country of Origin: CHINA

Country of Destination: EUROPE

Sample Received Date: May 15, 2017

Testing Period: May 15, 2017 to Jun.09, 2017

**Test Requested:** Please refer to following page(s).

**Test Method:** Please refer to following page(s).

**Test Result:** Please refer to following page(s).

Tested by: Huisu Lus

Luohuisu Suhongliang, Leon

Test Engineer Test Team Leader

Reviewed by: \_

Approved by:

Jiangyuncheng, Jason

Laboratory Manager



The results spowth this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.

GC S



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 2 of 13

Test Requested: Conclusion

As specified by client, to determine the Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs content in the submitted sample in accordance with EU RoHS Directive 2011/65/EU(RoHS) and its amendment directives on XRF and Chemical Method.

Pass

#### **Test Methods:**

A: <u>Screening by X-ray Fluorescence Spectrometry (XRF)</u>: With reference to IEC 62321-3-1:2013 Ed 1.0 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

### B: Chemical test:

Test Item	Test Method	Measuring Instrument	MDL
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0 Section 7	ICP-OES	2 mg/kg
Lead (Pb)	IEC 62321-5:2013 Ed 1.0 Section 7	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4:2013 Ed 1.0 Section 7	ICP-OES	2 mg/kg
Non-metal  Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017 Ed 1.0	UV-Vis	1 mg/kg
Metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015 Ed 1.0	UV-Vis	/
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0	GC-MS	5 mg/kg

The results spowth this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.



Date: Jun.09, 2017 Page 3 of 13 Report No.: A001R20170515047-1

### **Test Results:**

A, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq.	Touted Pout(s)	Results(mg/kg)				
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
1	Black plastic earlap(Shell)	BL	BL	BL	BL	X*
2	Black silicone plug(Shell)	BL	BL	BL	BL	BL
3	Electroplated plastic ring(Shell)	BL	BL	BL	BL	BL
4	Tin solder(Horn)	BL	BL	BL	BL	n of Global Comp
5	PCB board(Horn)	BL	BL	BL	BL	X*
6	Metal shell(Horn)	BL	BL	BL	BL	
7	Magnet(Horn)	BL	BL	BL	BL	- 3
8	Diaphragm(Horn)	BL	BL	BL	BL	BL
9	Metal cover(Horn)	BL	BL	BL	BL	-
10	Enameled coil(Horn)	BL	BL	BL	BL	ubliance -
11	Black plastic shell(Sound controller shell) (Sound controller)		BL	BL	BL	BL
12	Silver coating button(Sound controller shell) (Sound controller)	BL	BL	BL	BL	BL
13	Chip IC(Sound controller)	BL	BL	BL	BL	BL
14	Chip LED(Sound controller)	BL	BL	BL	BL	BL
15	Chip diode(Sound controller)	BL	BL	BL	BL	BL
16	Solder resist(PCB board) (Sound controller)	BL	BL	BL	BL	BL
17	Substrate(PCB board) (Sound controller)	BL	BL	BL	BL	X*
18	Copper foil(PCB board) (Sound controller)	BL	BL	BL	BL	-
19	Tin solder(PCB board) (Sound controller)	BL	BL	BL	BL	F 1 Chonal Con
20	Chip crystal(Sound controller)	BL	BL	BL	BL	BL
21	IC Ontology(IC) (Sound controller)	BL	BL	BL	BL	BL
22	Pin(IC) (Sound controller)	BL	BL	BL	BL	-
23	Chip capacitor(Sound controller)	BL	BL	BL	BL	BL
24	Metal shell(Android plug) (Sound controller)	BL	BL	BL	BL	-

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com. AGC 8



Date: Jun.09, 2017 Report No.: A001R20170515047-1 Page 4 of 13

Seq. Tarted Part(a)		T. Tr	Re	sults(mg/	F Kobal Con	
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
25	Black inner glue(Android plug) (Sound controller)	BL	BL	BL	BL	BL
26	Pin(Android plug) (Sound controller)	BL	BL	BL	BL	- noe
27	Black plastic button(Tact Switch) (Sound controller)	BL	BL	BL	BL	BL
28	Sheet metal(Tact Switch)	BL	BL	BL	BL	<u>-</u>
29	White plastic seat(Tact Switch) (Sound controller)	BL	BL	BL	BL	BL
30	White thread leather(Wire rod)	BL	BL	BL	BL	BL
31	Brown enameled wire(Wire rod)	BL	BL	BL	BL	
32	Blue Enameled wire(Wire rod)	BL	BL	BL	BL	- 4
33	Tawny tape(Battery)	BL	BL	BL	BL	BL
34	Electric core(Battery)	BL	BL	BL	BL	BL
35	Yellow gummed paper(Battery)	BL	BL	BL	BL	BL
36	Metal connecting piece(Battery)	BL	BL	BL	BL	-
37	Tin solder(Battery)	BL	BL	BL	BL	N.C
38	PCB board(Battery)	BL	BL	BL	BL	X*
39	Black thread leather(Battery)	BL	BL	BL	BL	BL
40	Wire core(Battery)	BL	BL	BL	BL	-
41	Red thread leather(Battery)	BL	BL	BL	BL	BL
42	Chip IC(Battery)	BL	BL	BL	BL	BL
43	White grip(USB plug)	BL	BL	BL	BL	BL
44	Tin solder(USB plug)	BL	BL	BL	BL	
45	White plastic plug(USB plug)	BL	BL	BL	BL	BL
46	Pin(USB plug)	BL	BL	BL	BL	- (
47	Metal shell(USB plug)	BL	BL	BL	BL	
48	White grip(Android plug)	BL	BL	BL	BL	BL
49	Tin solder(Android plug)	BL	BL	BL	BL	G-Mesti
50	Black plastic plug(Android plug)	BL	BL	BL	BL	BL

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc-cept.com.



Report No.: A001R20170515047-1 Date: Jun.09, 2017 Page 5 of 13

Seq. Tested Part(s)		Results(mg/kg)				
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
51	Metal needle(Android plug)	BL	BL	BL	X*	-
52	Pin(Android plug)	BL	BL	BL	BL	
53	Metal shell(Android plug)	BL	BL	BL	X*	G
54	White exterior thread leather(Wire rod)	BL	BL	BL	BL	BL
55	Black thread leather(Wire rod)	BL	BL	BL	BL	BL
56	Wire core(Wire rod)	BL	BL	BL	BL	-
57	Red thread leather(Wire rod)	BL	BL	BL	BL	BL
Differ	ence		:100		7	14
58	White plastic sound control shell(White headset)	BL	BL	BL	BL	BL
59	White plastic earlap(White headset)	BL	BL	BL	BL	BL
60	Blue plastic sound control shell(Blue headset)	BL	BL	BL	BL	BL
61	Blue plastic earlap(Blue headset)	BL	BL	BL	BL	BL

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.cett.com.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 400 089 2118

Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 6 of 13

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>The state of the s</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	The state of the s	BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit

OL= Over limited X= Inconclusive "-"= Not regulated

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

<sup>\*=</sup> Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 7 of 13

#### Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013 Ed 1.0.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominated diphenylethers (PBDEs)	1000				

#### Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results spowth this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a type of type of the report will be confirmed at a type of the report will



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 8 of 13

### **B.** The Test Results of Chemical Method:

1)The Test Results of metal Cr<sup>6+</sup>

Total Ideas (A)	MDI	Res	sult(s)	T **4
Test Item(s)	MDL	51	53	Limit
Hexavalent Chromium (Cr <sup>6+</sup> )	See note	Negative	Negative	#

#### Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result				
1	The sample solution is <the 0,10="" cm<sup="" μg="">2 equivalent comparison standard solution</the>	The sample is negative for Cr(VI) – The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.				
2	The sample solution is $\geq$ the 0,10 µg/cm <sup>2</sup> and $\leq$ the0,13 µg/cm <sup>2</sup> equivalent comparison standard solutions	The result is considered to be inconclusive – Unavoidable coating variations may influence the determination.				
3 7 7	The sample solution is > the 0,13 μg/cm <sup>2</sup> equivalent comparison standard solution	The sample is positive for Cr(VI) – The Cr(VI) concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).				

<sup>- # =</sup>Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results spowth this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a type of type of the report will be confirmed at a type of the report will



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 9 of 13

### 2) The Test Results of PBBs & PBDEs

Unit:mg/kg

Idam (a) sa	MDI	al Cour.	Rest	ult(s)	Vilea	GU
Item(s)	MDL	1	5	17	38	Limit
Polybrominated Biphenyls (PBBs)						
Monobromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	tulion of Global
Dibromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	100
Tribromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	VP.
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	正 K. 光.
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	CT. INDE
Hexabromobiphenyl	5 5	N.D.	N.D.	N.D.	N.D.	Total PBBs Content <1000
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	Content \1000
Octabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	A THE
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	-C
Decabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	
Total content	Attestante	N.D.	N.D.	N.D.	N.D.	199
<b>Polybrominated Diphenylethers (I</b>	PBDEs)					
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	Technion of Glove
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	The state of the s
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	T. I. DDDE
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	Total PBDEs Content <1000
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	Content \1000
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	The Williams
Nonabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	and a Co
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	NO
Total content	786	N.D.	N.D.	N.D.	N.D.	16
Conclusion	1	Pass	Pass	Pass	Pass	- 12 3 Model Co

Note: N.D. = Not Detected or less than MDL

MDL = Method Detection Limit

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.

No.16 C



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 10 of 13

#### **Test Flow Chart** 1.For metal Cr(VI) Adding 1,5- diphenylcarbazide for color Boiling water extraction Sample(s) Preparation development Compare with $0.1 \mu g/cm^2$ and $0.13 \mu g/cm^2$ standard UV-Vis DATA solution 2.For PBBs & PBDEs Cutting/Preparation Weigh Sample Sample solvent extraction Concentration/ Dilution of Extracted solution DATA GC-MS Filtration

Test result on specimen No.37 was resubmitted sample on Jun.05,2017.

### The photo of the sample





The results spowth this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.


No.16 C




**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 11 of 13











5 6







7

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com.




**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 12 of 13






48 49 50 51







18


The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com.

Attestation of Global Compliance



**Report No.: A001R20170515047-1** Date: Jun.09, 2017 Page 13 of 13





AGC authenticate the photo only on original report

\*\*\* End of Report \*\*\*

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com.

Attestation of Global Compliance