Page 1 of 8



# TEST REPORT

Applicant

Address

Report on the submitted sample said to be:

Sample Name

Power Bank

Sample No.

UP-9091

Manufacturer

Address

Sample Received Date

June 10, 2018

**Testing Period** 

June 10, 2018 to June 22, 2018

**Test Request** 

Conclusion:

Pass

1. As specified by client, test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs) and Polyb rominated Diphenyl Ethers(PBDEs) content in the submitted samples in accordance with RoHS 2011/65/EU.

**Test Result(s):** Please refer to the following page(s);

Test Method: Please refer to the following page(s);

Wrote by:

Reviewed by:

Date:

NPS building, No.160, Guanchang Road, Chang'an Town, Dongguan City. Guangdong Province, China 523855



### **Test Item Description and Photo List:**

Test Item(s)	Sample Photo(s)	Item / Component Description(s)
01	80-90 06-08	Black plastic shell
02	M \$	Grey rubber
03	0100 10 3	Silvery metal
04		Black plastic
05	03-05	Metal pin
06	8 2 2	Metal pin
07	Omm of 02 05 04 03 00 07 08 09 001 or 02 06 04 03 00 07 08 02 00 02 02 08 08 00 08 08 00 00 08 08 00 00 08 08	Silvery metal
08		White plastic
09		Screws
10	8 <u>1</u> 7	Red wire coating
11	8 10 10 A	Black plastic body
12	8	Metal pin
13	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Black foam gasket
14	10 20	White glue
15	O 40 30 20 10 10 05 05 05 05 05 05 05 05 05 05 05 05 05	Black wire coating
16	00	Yellow tape
17		Battery cell





Test Item(s)	Sample Photo(s)	Item / Component Description(s)
18	<b>8</b>	Metal pin
19		Silvery metal
20		Black plastic
21	9 27-28 DZH 6150120FL 5000mH	Metal pin
22	8 2	Silvery metal
23	24- <del>2</del> 6 (111)	Black plastic
24	001 02 02 05 04 05 09 07 08 09 00101 02 02 04 03	Metal pin
25		Silvery metal
26		Black plastic
27		Gray plastic body
28		Metal pin

Page 4 of 8



#### **TEST RESULT**

<u>European Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS)</u>

**Test Method**: See Appendix.

#### See Analytes and their corresponding Maximum Allowable Limit in Appendix

Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item(s)	-	-	-	-	-	-	-
01	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
02	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
03	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
04	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
05	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
06	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
07	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
08	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
09	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
11	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
12	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
13	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
14	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
15	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Page 5 of 8



Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item(s)	-	-	-	-	-	-	-
16	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
17	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
18	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
19	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
20	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
21	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
22	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
23	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
24	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
25	N.D.	N.D.	N.D.	N.D.	N.A.	N.A.	PASS
26	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
27	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS
28	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note / Key: N.D. = Not detected;

NA = Not requested;

% = percent;

10000 mg/kg = 1 %;

mg/kg = milligram(s) per kilogram = ppm = part(s) per million;

Detection Limit: See Appendix. Remark(s):

- The testing approach is listed in table of Appendix.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Council Directive 2011/65/EU, Article 4(1).
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- Tested part(s) was/were specified by clien

Page 6 of 8



### **APPENDIX**

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [for European Council Directive 2011/65/EU]:

[IOI I			Detection Limit (mg/kg)			
		X-ray fl	uorescence (	XRF)[a]	Wet	Maximum
No.	Name of Analytes	Plastic	Metallic /	Others	Chemistry	Allowable
			glass /			Limit
			ceramic			(mg/kg)
1	Lead (Pb)	100	200	200	10[b]	1000
2	Cadmium (Cd)	50	50	50	10[b]	100
3	Mercury (Hg)	100	200	200	10[c]	1000
4	Chromium (Cr)	100	200	200	NA	NA
5	Chromium VI (Cr VI)	NIA	NIA	NIA	3[g] /10[d]	1000
3	Chromium VI (Cr VI)	NA	NA	NA	See [e, i]	Negative[i]
6	Bromine (Br)	200	NA	200	NA	NA
	Polybromobiphenyls (PBBs)					
	- Bromobiphenyl (MonoBB)					
	- Dibromobiphenyl (DiBB)					
	- Tribromobiphenyl (TriBB)					
	- Tetrabromobiphenyl (TetraBB)					
7	- Pentabromobiphenyl (PentaBB)	NA	NA	NA	Each 50 [f]	Sum 1000
	- Hexabromobiphenyl (HexaBB)					
	- Heptabromobiphenyl (HeptaBB)					
	- Octabromobiphenyl (OctaBB)					
	- Nonabromobiphenyl (NonaBB)					
	- Decabromobiphenyl (DecaBB)					
	Polybromodiphenyl ethers (PBDEs)					
	- Bromodiphenyl ether (MonoBDE)					
	- Dibromodiphenyl ether (DiBDE)					
	- Tribromodiphenyl ether (TriBDE)					
	- Tetrabromodiphenyl ether (TetraBDE)					
8	- Pentabromodiphenyl ether (PentaBDE)	NA	NA	NA	Each 50 [f]	Sum 1000
	- Hexabromodiphenyl ether (HexaBDE)					
	- Heptabromodiphenyl ether (HeptaBDE)					
	- Octabromodiphenyl ether (OctaBDE)					
	- Nonabromodiphenyl ether (NonaBDE)					
	- Decabromodiphenyl ether (DecaBDE)					

Page 7 of 8

Report No.: NPSR180608421 Page 7 of

XRF screening limits for different materials:							
Materials	Concentration (mg/kg)						
Materiais	Cd	Cr	Pb	Hg	Br		
Metal	P≤70 <x<130≤f< td=""><td>P≤700<x< td=""><td>P≤700<x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>NA</td></x<1300≤f<></td></x<1300≤f<></td></x<></td></x<130≤f<>	P≤700 <x< td=""><td>P≤700<x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>NA</td></x<1300≤f<></td></x<1300≤f<></td></x<>	P≤700 <x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>NA</td></x<1300≤f<></td></x<1300≤f<>	P≤700 <x<1300≤f< td=""><td>NA</td></x<1300≤f<>	NA		
Polymers	P≤70 <x<130≤f< td=""><td>P≤700<x< td=""><td>P≤700<x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>P≤300<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<></td></x<></td></x<130≤f<>	P≤700 <x< td=""><td>P≤700<x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>P≤300<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<></td></x<>	P≤700 <x<1300≤f< td=""><td>P≤700<x<1300≤f< td=""><td>P≤300<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<>	P≤700 <x<1300≤f< td=""><td>P≤300<x< td=""></x<></td></x<1300≤f<>	P≤300 <x< td=""></x<>		
Composite material	P≤50 <x<150≤f< td=""><td>P≤500<x< td=""><td>P≤500<x<1300≤f< td=""><td>P≤500<x<1300≤f< td=""><td>P≤250<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<></td></x<></td></x<150≤f<>	P≤500 <x< td=""><td>P≤500<x<1300≤f< td=""><td>P≤500<x<1300≤f< td=""><td>P≤250<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<></td></x<>	P≤500 <x<1300≤f< td=""><td>P≤500<x<1300≤f< td=""><td>P≤250<x< td=""></x<></td></x<1300≤f<></td></x<1300≤f<>	P≤500 <x<1300≤f< td=""><td>P≤250<x< td=""></x<></td></x<1300≤f<>	P≤250 <x< td=""></x<>		

P=Pass; F=Fail; X=Inconclusive result

# List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [for European Council Directive 2011/65/EU]:

NA = Not applicable

- [a] Test method with reference to IEC 62321-3-1:2013.
- [b] Test method with reference to IEC 62321-5:2013.
- [c] Test method with reference to IEC 62321-4:2013.
- [d] Polymers and Electronic-Test method with reference to European standard IEC 62321:2008 Annex C.
- [e] Metal-Test method with reference to European standard IEC 62321:2008 Annex B[h].
- [f] Test method with reference to European standard IEC 62321:2008 Annex A.
- [g] Leather-Test method International standard ISO 17075:2007
- [h] The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples.
- [i] Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Council Directive 2011/65/EU, Article 4(1).

Testing Approach [ Compliance Test for European Council Directive 2011/65/EU]:					
The testing ap	The testing approach was with reference to the following document(s).				
1	International standards IEC 62321-1:2013 and IEC 62321-2:2013				
"RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcemen					
2	Informal Network. (May 2006)				
3	"RoHS Regulations - Government Guidance Notes" by United Kingdom Department for				
3	Business Innovation & Skills. (February 2011)				
	"Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and				
4	electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety				
	and Environment. (November 2005)				



## Sample Photo(s)



\*\*\*\*End of Report\*\*\*\*