



NO.: SST16060703201

Sample test period:

Date: Jun 13, 2016

Page 1 of 4

Applicant:

Address:				
Report on the submitted s	ample said to be			
Sample name: 摩卡	57	57		57
Style/ Model No. :	N/A		P/O No./ Lot No. :	N/A
Color/ Material :	LIGHT GRAY		Test Request Age :	N/A
Manufactory :	N/A	12.	Buyer :	N/A
Country of Origin :	N/A		Country of Export :	N/A
Sample received date:	Jun 07, 2016			

SUMMERY OF TEST RESULT(S)

From Jun 07, 2016 to Jun 13, 2016

Testing Item	Conclusion	Remark
The Polycyclic Aromatic Hydrocarbons (PAHs) Content		Kemark
requirement of German Product Safety Commission GS		See next Pages
Specification AfPS GS 2014:01 PAK, "Testing and validation of	12	occ next rages
PAHs in products in the course of GS-Mark Certification".	27	67

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****



NO.: SST16060703201

Date: Jun 13, 2016

Page 2 of 4

Results:

Polycyclic Aromatic Hydrocarbons (PAHs) Content – German Product Safety Commission GS Specification AfPS GS 2014:01 PAK

Test Method: With reference to test method mentioned in German AfPS GS 2014:01 PAK

Maximum Allowable Limit :	See Appendix	x.	1		12
Parameter	CAS-No.	Unit	20	Result	7
Test Item(s)	-	-	001	-	-
Туре	-	-	-	-	-
Benzo (a) pyrene	50-32-8	mg/kg	ND	-	2-
Benzo (e) pyrene	192-97-2	mg/kg	ND	-	27-
Benzo (a) anthracene	56-55-3	mg/kg	ND	-	- 12
Benzo (b) fluoranthene	205-99-2	mg/kg	ND	-	-
Benzo (j) fluoranthene	205-82-3	mg/kg	ND	-	-
Benzo (k) fluoranthene	207-08-9	mg/kg	ND	-	-
Chrysene	218-01-9	mg/kg	ND	<u>.</u>	
Dibenzo (a,h) anthracene	53-70-3	mg/kg	ND		2
Benzo (g,h,i) perylene	191-24-2	mg/kg	ND	-	50
Indeno (1,2,3-cd) pyrene	193-39-5	mg/kg	ND	-	-
Acenaphthylene	208-96-8	mg/kg	ND	-	-
Acenaphthene	83-32-9	mg/kg	ND	-	- 18 F
Fluorene	86-73-7	mg/kg	ND	-	2
Phenanthrene	85-01-8	mg/kg	ND	-	17 -
Pyrene	129-00-0	mg/kg	ND	-	· · ·
Anthracene	120-12-7	mg/kg	ND	-	-
Fluoranthene	206-44-0	mg/kg	ND	2 ·	- 12 ·
Naphthalene	91-20-3	mg/kg	ND	-	1
Sum of all listed PAHS	3 -	mg/kg	ND	· .	13

Note / key:

ND = Not detected(<DL) ">" = More than mg/kg = milligram(s) per kilogram "<" = Less than Detection Limit (mg/kg): Each PAHs: 0.2;

Conc. = Concentration

At the request of client, test(s) was conducted on the certain component(s) of the submitted

Sample(s) / submitted component(s).

Remark:

- Plasticized and rubberized prints, coatings and plastic materials of product are applicable to be tested.
- ^[a] Denotes as this (these) limit(s) applies to product(s) with GS-Mark dated on or after July 01, 2015.



No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong,China 地址:中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530 http://www.sst-test.com Mail:sst@sst-test.com Fax: 86-769-89026586

NO.: SST16060703201

Date: Jun 13, 2016

Page 3 of 4

57 13		<u>Appendix</u>			
Type (See Comment for the List of Types)	I	lla	llb	Illa	lllb
Test Parameter(s)		I	Limit ^[a] (mg/kg))	
Each of Benzo (a) pyrene, Benzo (e) pyrene, Benzo (a) anthracene, Benzo (b) fluoranthene, Benzo (j) fluoranthene, Benzo (k) fluoranthene, Chrysene, Dibenzo (a,h) anthracene, Benzo (g,h,i) perylene Indeno (1,2,3-cd) pyrene	< 0.2	< 0.2	< 0.5	< 0.5	<1
Naphthalene	< 1	< 2	<2	< 10	< 10
Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene Fluoranthene (Sum of above listed PAHs)	< 1	< 5	< 10	< 20	< 50
Sum of all listed PAHs	< 1	< 5	< 10	< 20	< 50
	•				

1	Category 1: Materials intended for mouth contact or materials in toys with intended long-term skin contact for more than 30 seconds	I
2	Category 2: Materials which are not covered in Category 1 with foreseeable contact to skin longer than 30 seconds (Long-term skin contact) or repeated short-term skin contact	lla ^[a] or llb ^[b]
3	Category 3: Materials which are not covered in Category 1 or Category 2 with foreseeable skin contact up to 30 seconds (Short-term skin contact)	IIIa ^[a] or IIIb ^[b]

Specimen Description:

001: Light gray soft plastic with grey fabric backing

。 服务热线:400-800-3625 Sharp Standard Testing Technology Co., Ltd

锐标检测技术有限公司

No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong,China 地址:中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530 http://www.sst-test.com Mail:sst@sst-test.com Fax: 86-769-89026586



NO.: SST16060703201

Date: Jun 13, 2016

Page 4 of 4

Photograph of Sample



SST160607032

*** End of Report ***

This report is considered invalidated without the Special Seal for Inspection of the SST, This report shall not be altered, increased or deleted, The results shown in this test report refer only to the sample(s) tested. Without written approval of SST, This test report shall not be copied except in full and published as advertisement. Detailed description are available at the website http://www.sst-test.com.



服务热线: 400-800-3625 Sharp Standard Testing Technology Co., Ltd 锐标检测技术有限公司 No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong,China 地址:中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530 http://www.sst-test.com Mail:sst@sst-test.com Fax: 86-769-89026586