



TEST REPORT

NO.: SST16060703301

Date: Jun 13, 2016

Page 1 of 4

Applicant:

Address

Report on the submitted sample said to be

Sample name: SNOWFLAKE CLOTH

Style/ Model No. : N/A

P/O No./ Lot No. : N/A

Color/ Material : BLACK

Test Request Age : N/A

Manufactory : N/A

Buyer : N/A

Country of Origin : N/A

Country of Export : N/A

Sample received date: Jun 07, 2016

Sample test period: From Jun 07, 2016 to Jun 13, 2016

SUMMARY OF TEST RESULT(S)

Testing Item	Conclusion	Remark
The Polycyclic Aromatic Hydrocarbons (PAHs) Content requirement of German Product Safety Commission GS Specification AfPS GS 2014:01 PAK, "Testing and validation of PAHs in products in the course of GS-Mark Certification".	-	See next Pages

*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)*****

Signatories:

John Yue
Lab Manager



服务热线: 400-800-3625

Sharp Standard Testing Technology Co., Ltd
锐标检测技术有限公司

No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong, China
地址: 中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530
http://www.sst-test.com Mail:sst@sst-test.com Fax: 86-769-89026586

TEST REPORT

NO.: SST16060703301

Date: Jun 13, 2016

Page 2 of 4

Results:

Polycyclic Aromatic Hydrocarbons (PAHs) Content – German Product Safety Commission GS Specification AfPS GS 2014:01 PAK

Test Method: With reference to test method mentioned in German AfPS GS 2014:01 PAK

Maximum Allowable Limit :	See Appendix.
---------------------------	---------------

Parameter	CAS-No.	Unit	Result		
Test Item(s)	-	-	001	-	-
Type	-	-	-	-	-
Benzo (a) pyrene	50-32-8	mg/kg	ND	-	-
Benzo (e) pyrene	192-97-2	mg/kg	ND	-	-
Benzo (a) anthracene	56-55-3	mg/kg	ND	-	-
Benzo (b) fluoranthene	205-99-2	mg/kg	ND	-	-
Benzo (j) fluoranthene	205-82-3	mg/kg	ND	-	-
Benzo (k) fluoranthene	207-08-9	mg/kg	ND	-	-
Chrysene	218-01-9	mg/kg	ND	-	-
Dibenzo (a,h) anthracene	53-70-3	mg/kg	ND	-	-
Benzo (g,h,i) perylene	191-24-2	mg/kg	ND	-	-
Indeno (1,2,3-cd) pyrene	193-39-5	mg/kg	ND	-	-
Acenaphthylene	208-96-8	mg/kg	ND	-	-
Acenaphthene	83-32-9	mg/kg	ND	-	-
Fluorene	86-73-7	mg/kg	ND	-	-
Phenanthrene	85-01-8	mg/kg	ND	-	-
Pyrene	129-00-0	mg/kg	ND	-	-
Anthracene	120-12-7	mg/kg	ND	-	-
Fluoranthene	206-44-0	mg/kg	ND	-	-
Naphthalene	91-20-3	mg/kg	ND	-	-
Sum of all listed PAHS	-	mg/kg	ND	-	-

Note / key:

ND = Not detected(<DL)

“>” = More than

Conc. = Concentration

mg/kg = milligram(s) per kilogram “<” = Less than

Detection Limit (mg/kg): Each PAHs: 0.2;

At the request of client, test(s) was conducted on the certain component(s) of the submitted

Sample(s) / submitted component(s).

Remark:

- Plasticized and rubberized prints, coatings and plastic materials of product are applicable to be tested.
- ^[a] Denotes as this (these) limit(s) applies to product(s) with GS-Mark dated on or after July 01, 2015.



服务热线: 400-800-3625

Sharp Standard Testing Technology Co., Ltd

锐标检测技术有限公司

No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong, China

地址: 中国广东省东莞市厚街镇厚街大道东 42 号

Tel: 86-769-87050530

http://www.sst-test.com

Mail: sst@sst-test.com

Fax: 86-769-89026586

TEST REPORT

NO.: SST16060703301

Date: Jun 13, 2016

Page 3 of 4

Appendix

Type (See Comment for the List of Types)	I	IIa	IIb	IIIa	IIIb
Test Parameter(s)	Limit ^[a] (mg/kg)				
Each of Benzo (a) pyrene, Benzo (e) pyrene, Benzo (a) anthracene, Benzo (b) fluoranthene, Benzo (j) fluoranthene, Benzo (k) fluoranthene, Chrysene, Dibenzo (a,h) anthracene, Benzo (g,h,i) perylene Indeno (1,2,3-cd) pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Naphthalene	< 1	< 2	< 2	< 10	< 10
Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene Fluoranthene (Sum of above listed PAHs)	< 1	< 5	< 10	< 20	< 50
Sum of all listed PAHs	< 1	< 5	< 10	< 20	< 50

List of Types [Categories defined in German AfPS GS 2014:01 PAK] :		
Category	Category Description(s)	Type
1	Category 1: Materials intended for mouth contact or materials in toys with intended long-term skin contact for more than 30 seconds	I
2	Category 2: Materials which are not covered in Category 1 with foreseeable contact to skin longer than 30 seconds (Long-term skin contact) or repeated short-term skin contact	IIa ^[a] or IIb ^[b]
3	Category 3: Materials which are not covered in Category 1 or Category 2 with foreseeable skin contact up to 30 seconds (Short-term skin contact)	IIIa ^[a] or IIIb ^[b]
^[a] denotes as toys according to European Parliament and Council Directive 2009/48/EC ^[b] denotes as other products according to German ProdSG		

Specimen Description:

001: Black fabric



服务热线: 400-800-3625

Sharp Standard Testing Technology Co., Ltd

锐标检测技术有限公司

No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong, China

地址: 中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530

http://www.sst-test.com Mail: sst@sst-test.com Fax: 86-769-89026586

TEST REPORT

NO.: SST16060703301

Date: Jun 13, 2016

Page 4 of 4

Photograph of Sample



*** End of Report ***

This report is considered invalidated without the Special Seal for Inspection of the SST, This report shall not be altered, increased or deleted, The results shown in this test report refer only to the sample(s) tested. Without written approval of SST, This test report shall not be copied except in full and published as advertisement. Detailed description are available at the website <http://www.sst-test.com>.



服务热线: 400-800-3625

Sharp Standard Testing Technology Co., Ltd

锐标检测技术有限公司

No.42 HouJie Road East, HouJie Town, DongGuan, Guangdong,China

地址: 中国广东省东莞市厚街镇厚街大道东 42 号 Tel: 86-769-87050530

<http://www.sst-test.com> Mail: sss@sst-test.com Fax: 86-769-89026586