

**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 1 of 12

Applicant: Xindao B.V.

Address: P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands

Report on the submitted sample(s) said to be:

Sample Name: Bamboo X speaker

Model No.: P328.00X,M1

Manufacturer: Xindao B.V.

Address: P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands

Test site: 6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan

District, Shenzhen, Guangdong, China

Sample Received Date: Nov.20, 2018

Testing Period: Nov.20, 2018 to Nov.29, 2018

**Test Requested:** Please refer to following page(s).

**Test Method:** Please refer to following page(s).

**Test Result:** Please refer to following page(s).

Approved by Liulinwen Lewis

Technical Direct

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eart.com.

Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 2 of 12

Test Requested: Conclusion

1. As specified by client, to determine Lead(Pb), Cadmium(Cd), Mercury(Hg) content accordance with European Directive 2006/66/EC and its amendments 2013/56/EU.

Pass

2. As specified by client, to determine the Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs content in the submitted sample in accordance with EU RoHS Directive 2011/65/EU(RoHS) and its amendment directives on XRF and Chemical Method.

Pass

#### **Test Methods:**

A: <u>Screening by X-ray Fluorescence Spectrometry (XRF)</u>: With reference to IEC 62321-3-1:2013 Ed 1.0 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

B: Chemical test:

Test Item	Test Method	Measuring Instrument	MDL
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Lead (Pb)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4:2013+A1:2017 Ed 1.1	ICP-OES	2 mg/kg
Non-metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017 Ed 1.0	UV-Vis	1 mg/kg
Metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015 Ed 1.0	UV-Vis	1
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0	GC-MS	5 mg/kg

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com

Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 3 of 12

#### **Test Result(s):**

1. Test result of Lead(Pb), Cadmium(Cd), Mercury(Hg)

Unit: %,w/w

Took itom(a)	Test Method/	MDL	Result(s)	Limit
Test item(s)	Equipment	MIDL	38	Limit
Lead (Pb)	Refer to	0.0005	N.D.	
Cadmium (Cd)	IEC 62321-5:2013 ICP-OES	0.0005	N.D.	0.002
Mercury (Hg)	Refer to IEC 62321-4:2013+A1:2017 ICP-OES	0.0001	N.D.	0.0005
Conclusion		CC	Pass	© 1

#### Note:

- N.D.=Not Detected(less than method detection limit)
- MDL = Method Detection Limit
- "-" =Not regulated
- As specified by client, only test the designated sample.

#### **Sample Description**

38 Electric core (battery)	C
----------------------------	---

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 4 of 12

#### **Test Results:**

A, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq.	The state of the s	Results(mg/kg)				
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
1 8	Black mesh cloth(Shell)	BL ®	BL	BL	BL	BL
2	Black lifting rope(Shell)	BL	BL	BL	BL	BL
3	Brown fiber board(Shell)	BL	BL	BL	BL	BL
4	Black rubber button(Shell)	BL	BL	BL	BL	BL
5	Black plastic shell(Shell)	BL	BL	BL	BL	BL
6	Black rubber vibrating film(Shell)	BL	BL	BL	BL	BL
7	Black metal sheet(Shell)	BL	BL	BL	BL	-
8	Silver screw	BL	BL	BL	BL	-
9	Black glue cap(Mi tou)	BL	BL	BL	BL	BL
10	Copper shell(Mi tou)	BL	BL	BL	BL	-
11	Tin solder(Mi tou)	BL	BL	BL	BL	<u>.6</u>
12	Red wire jacket(Mi tou)	BL	BL	BL	BL	BL
13	Wire core(Mi tou)	BL	BL	BL	BL	® <b>-</b>
14	Black wire jacket(Mi tou)	BL	BL	BL	BL	BL
15	Magnetic shielding cover(Horn)	BL	BL	BL	BL	-
16	Silver metal shell(Horn)	BL	BL	BL	BL	-
17	Tin solder(Horn)	BL®	BL	BL	BL	NG
18	White connecting piece(Horn)	BL	BL	BL	BL	BL
19	Red wire jacket(Horn)	BL	BL	BL	BL	BL
20	Black wire jacket(Horn)	BL	BL	BL	BL	BL
21	Black rubber vibrating film(Horn)	BL	BL	BL	BL	BL
22	Black globe-roof(Horn)	BL	BL	BL	BL	BL
23	IC body(IC)	BL	BL	BL	BL ®	BL
24	Tin plated pin(IC)	BL	BL	BL	BL	-

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (sc., this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



Report No.: AGC01881180403-001 Date: Nov.29, 2018 Page 5 of 12

Seq.	Tested Part(s)	®	Results(mg/kg)				
No.	resteu Fart(s)	Cd	Pb	Hg	Cr	Br	
25	Crystal oscillator	BL	BL	BL	BL ®	BL	
26	Black sleeving(Electrolytic capacitor)	BL	BL	BL	BL	BL	
27	Aluminum shell(Electrolytic capacitor)	BL	BL	BL	BL	-	
28	Red plastic micropositioner	BL	BL	BL	BL	BL	
29	Black audio holder	BL	BL	BL	BL	BL	
30	Silver metal cover(Memory card holder)	BL	BL	BL	X*	® <b>-</b>	
31	Micro metal connector	BL	BL	BL	BL	3 -	
32	Chip LED	BL	BL	BL	BL	BL	
33	Tin solder	BL	BL	BL	BL	-	
34	Green PCB board	BL ®	BL	BL	BL	BL	
35	Black plastic button(Tact Switch)	BL	BL	BL	BL	BL	
36	Silver metal sheet(Tact Switch)	BL	BL	BL	BL	_	
37	Blue sleeving(Battery)	BL	BL	BL	BL	BL	
39	Silver metal sheet(Battery)	BL	BL	BL	BL	® <b>-</b>	
40	PCB board(Battery)	BL	BL	BL	BL	X*	
41	Tin solder(Battery)	BL	BL	BL	BL	-3	
42	Red wire jacket(Battery)	BL	BL	BL	BL	BL	
43	Black wire jacket(Battery)	BL ®	BL	BL	BL	BL	
44	IC body(Battery)	BL	BL	BL	BL	BL	
45	Tin plated pin(Battery)	BL	BL	BL	BL	-6	
,	® Data line	<b>4.</b> C	(8)			G	
46	Black handle(USB plug)	BL	BL	BL	BL	®BL	
47	Metal plug(USB plug)	BL	BL	BL	BL	<b>U</b> .	
48	White plastic plug(USB plug)	BL	BL	BL	BL	BL	
49	Micro metal connector(Micro plug)	BL	BL	BL	X*	-	
50	Black plastic plug(Micro plug)	BL ®	BL	BL	BL	BL	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (\$\circ\$C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 6 of 12

Seq.	T (1D (6)	Results(mg/kg)				
No.	Tested Part(s)		Pb	Hg	Cr	Br
51	Metal thimble(Micro plug)	BL	BL	BL	X* ®	-
52	Tin solder(Micro plug)	BL	BL	BL	BL	
53	Black outer wire jacket(Wire rod)	BL	BL	BL	BL	BL
54	Red wire jacket(Wire rod)	BL	BL	BL	BL	BL
55	Black wire jacket(Wire rod)	BL	BL	BL	BL	BL

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Нд	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td></td><td>BL≤250-3σ<x< td=""></x<></td></x<>		BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit
OL= Over limited

X= Inconclusive "-"= Not regulated

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

<sup>\*=</sup> Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 7 of 12

#### Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013 Ed 1.0.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.

iii The maximum permissible limit is quoted from RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)		
Cadmium (Cd)	100		
Lead (Pb)	1000		
Mercury (Hg)	<sub>®</sub> 1000		
Hexavalent Chromium (Cr(VI))	1000		
Polybrominated biphenyls (PBBs)	1000		
Polybrominated diphenylethers (PBDEs)	⊚ 1000		

#### Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No. 18 C



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 8 of 12

#### B. The Test Results of Chemical Method:

1)The Test Results of metal Cr<sup>6+</sup>

To -4 14 (-)	Total Manager			Result(s)			
Test Item(s)	MDL	30	49	<sub>®</sub> 51	Limit		
Hexavalent Chromium (Cr <sup>6+</sup> )	See note	Negative	Negative	Negative	# @		

#### Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit

- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result		
		The sample is negative for Cr(VI) – The Cr(VI)		
®	The sample solution is <the 0,10="" cm<sup="" μg="">2</the>	concentration is below the limit of		
) 1 c	equivalent comparison standard solution	quantification. The coating is considered a		
\G\-	-G ®	non-Cr(VI) based coating.		
	The sample solution is $\geq$ the 0,10 $\mu$ g/cm <sup>2</sup>	The result is considered to be inconclusive –		
2 @	and $\leq$ the0,13 µg/cm <sup>2</sup> equivalent	Unavoidable coating variations may influence		
a.C	comparison standard solutions	the determination.		
		The sample is positive for $Cr(VI)$ – The $Cr(VI)$		
2	The sample solution is $>$ the 0,13 $\mu$ g/cm <sup>2</sup>	m <sup>2</sup> concentration is above the limit of quantificatio		
@3	equivalent comparison standard solution	and the statistical margin of error. The sample		
coating is considered to contain Cr(VI).				

- # =Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 9 of 12

#### 2) The Test Results of PBBs & PBDEs

Unit: mg/kg

T(any (a)	MDI	Result(s)	C TO
Item(s)	MDL	© 40	Limit
Polybrominated Biphenyls (PB	Bs)		
Monobromobiphenyl	5	N.D.	6
Dibromobiphenyl	5	N.D.	100 -C
Tribromobiphenyl	5	N.D.	No.
Tetrabromobiphenyl	5	N.D.	8
Pentabromobiphenyl	5	N.D.	GT. IPPD-C
Hexabromobiphenyl	5	N.D.	Total PBBs Content <1000
Heptabromobiphenyl ©	5	N.D.	8
Octabromobiphenyl	5	N.D.	C
Nonabromodiphenyl	5	N.D.	100
Decabromodiphenyl	5	N.D.	
Total content	/ @	N.D.	(8)
Polybrominated Diphenylether	rs (PBDEs)		
Monobromodiphenyl ether	5	N.D.	
Dibromodiphenyl ether	5	N.D.	©
Tribromodiphenyl ether	5	N.D.	GO C
Tetrabromodiphenyl ether	5	N.D.	No.
Pentabromodiphenyl ether	5	N.D.	® T. J. I. D.D.D.E. C
Hexabromodiphenyl ether	5	® N.D.	Total PBDEs Content <1000
Heptabromodiphenyl ether	5	N.D.	1000
Octabromodiphenyl ether	5	N.D.	
Nonabromodiphenyl ether	5	N.D.	© ©
Decabromodiphenyl ether	5	N.D.	SO CO
Total content To	1	N.D.	10
Conclusion	/	Pass	

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit


The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (sc., this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 10 of 12

#### **Test Flow Chart**



The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 11 of 12

### The photo of the sample



The results shown in this sest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed of http://www.agc-centr.com.


Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com 🕜 400 089 2118 Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC01881180403-001** Date: Nov.29, 2018 Page 12 of 12





44 45







#### AGC01881180403-001

AGC authenticate the photo only on original report

\*\*\* End of Report \*\*\*

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true and the sample (s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true and the sample (s) are retained for 30 days only. The document is issued by ACC.

Attestation of Global Compliance Std. & Tech.