

TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 1 of 6

Report on the submitted samples said to be:
委托检测的样品及申请者对样品的说明如下：

Sample Name : SILICONE BOTTLE
样品名称 : 硅胶水瓶
Sample/EUT Status : good condition
样品状态 : 完好
Sample Receiving Date : March 28, 2019
收样日期 : 2019 年 3 月 28 日
Testing Period : From March 28, 2019 to April 3, 2019
测试周期 : 2019 年 3 月 28 日至 2019 年 4 月 3 日
Results : Please refer to next page(s).
测试结果 : 参见后续页

Signed for and on behalf of BACL (BACL 授权签名)

Checked by Jenifer
审核: Jenifer Yu
Technical Supervisor
技术主管

Approved by Fedor
核准: Fedor Zhang
Laboratory Manager
实验室经理

A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务(福建)有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378



TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 2 of 6

Summary of Test Results:

测试结果概要:

TEST REQUEST

测试要求

- Short Chain Chlorinated Paraffins C10-C13 (SCCP) Content
短链氯化石蜡 C10-C13 (SCCP) 含量
- Bisphenol A (BPA) Content
双酚 A 含量

CONCLUSION

结论

Pass
合格
Pass
合格

Pass = Meet the Requirement of Client

合格 = 符合客户要求

A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务(福建)有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378

TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 3 of 6

Results:
测试结果:

Tested part(s):
测试部位:

1. Grey plastic (stopper/body) 灰色胶-塞子/主体
2. White plastic(body/ cover) 白色胶-主体/盖子

1、Short Chain Chlorinated Paraffins C10-C13 (SCCP) Content
短链氯化石蜡 C10-C13 (SCCP) 含量

Test method: With reference to DIN EN ISO 18219:2015, by solvent extraction and analysis was performed by Gas Chromatographic-Mass Spectrometer (GC-MS)

测试方法: 参考 DIN EN ISO 18219:2015, 溶剂萃取方法, 采用气相色谱质谱联用仪(GC-MS)进行检测

Items 项目	CAS No. CAS 号	Unit 单位	MDL	Results 测试结果		Client's Limit 客户限值
				1	2	
Short Chain Chlorinated Paraffins (SCCPs) 短链氯化石蜡(SCCPs)	85535-84-8	mg/kg	100	N.D.	N.D.	1500
Conclusion 结论	/	/	/	Pass 合格	Pass 合格	/

Note:
注释:

- N.D. = Not Detected or less than MDL
N.D. = 未检出或低于检出限
- MDL = Method Detection Limit
MDL = 方法检测限
- mg/kg = ppm
- Photo appendix is included.
样品照片见附录。

A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务(福建)有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378

TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 4 of 6

2、Bisphenol A (BPA) Content

双酚 A 含量

Test method: With reference to in- house method, by solvent extraction and analysis was performed by Gas Chromatographic-Mass Spectrometer (GC-MS)

测试方法: 参照内部实验方法, 样品采用有机溶剂萃取, 气相色谱质谱联用仪(GC-MS)检测

Item 项目	Unit 单位	MDL	Results 测试结果		Client's Limit 客户限值
			1	2	
Bisphenol A (BPA) 双酚 A (BPA)	mg/kg	0.05	N.D.	N.D.	0.1
Conclusion 结论	/	/	Pass 合格	Pass 合格	/

Note:

注释:

- MDL = Method Detection Limit
MDL = 方法检出限
- N.D. = Not Detected or less than MDL
N.D. = 未检出或低于检出限
- mg/kg = ppm
- Photo appendix is included.
样品照片见附录。

A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务(福建)有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378

TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 5 of 6

Appendix 附录

Photograph of Sample (For test)
样品照片 (仅供测试)



A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务 (福建) 有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378


TEST REPORT

REPORT No.: R3XM190328F0595A

Date: April 9, 2019

Page 6 of 6

Photograph of Sample (for reference)
样品照片 (仅供参考)



BACL authenticate the photo on original report only

此图片仅限于随 BACL 正本报告使用

*** End of Report ***

*** 报告结束 ***

A statement of decision rule 判定规则声明:

Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. 除非申请商要求或产品法规另有规定, 否则本报告判定规则不考虑不确定度。

A statement of information customer provided 客户提供信息声明:

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity. 本报告中标记为#的信息, 为申请商提供, 本实验室不对其真实性负责。

A statement of report modification 修改报告声明:

The items used italic type in the report was revised due to the applicant's requirements. 基于申请商要求, 本报告中修改的地方标识为斜体。

The items used bold type in the report was revised due to typo. 为修正排印错误, 本报告中修改的地方标识为粗体。

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0. 此报告仅在有效的电子印章下有效, 请使用 Adobe reader 7.0 以上软件查看。

The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

除非另作说明, 否则本报告中出示的结果只适用于已测试的样品, 且所有样品只保留 30 天。除非得到本公司的书面批准, 否则本报告不允许部分复制。

如本报告没有 CMA 认可标志, 则仅可用于学习、研究目的, 不得用于向社会提供公证数据。

Bay Area Compliance Laboratories Corp. (Fujian) 倍科质量技术服务 (福建) 有限公司

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China 福建省厦门市同安区美溪道思明工业园 65 号 4 楼

TEL 电话: +86-592-3200111 FAX 传真: +86-592-5188378