Health Test Report

Report No.: AGC04094190605EH02

PRODUCT DESIGNATION: 10W wireless charging stand

BRAND NAME : N/A

MODEL NAME : P308.55

APPLICANT: Xindao B.V.

DATE OF ISSUE : Jun. 24, 2019

STANDARD(S) : EN 62311:2008

REPORT VERSION: V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.



Report No.: AGC04094190605EH02 Page 2 of 9

Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Jun. 24, 2019	Valid	Initial Release



TABLE OF CONTENTS

1. TEST REPORT CERTIFICATION	4
2. GENERAL INFORMATION	5
2.1. DESCRIPTION OF EUT	5
3. TEST SETUP	6
2.1 STANDARD APPLICABLE	6
2.2 EVALUATION METHODS	7
2.3 EVALUATION EQUIPMENT	8
2.4 EVALUATION RESULTS	8



Page 4 of 9

1. TEST REPORT CERTIFICATION

Applicant	Xindao B.V.		
Address	P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands		
manufacturer	Xindao B.V.		
Address	P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands		
Factory	Xindao B.V.		
Address	P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands		
Product Designation	10W wireless charging stand		
Brand Name	N/A		
Test Model	P308.55		
Date of test	Jun. 10, 2019 to Jun. 21, 2019		
Deviation	None		
Condition of Test Sample	Normal		
Test Result	Pass		
Report Template	AGCRT-EC-RF		

We, Attestation of Global Compliance (Shenzhen) Co., Ltd. for compliance with the requirements set forth in the European Standard EN 62311. The results of testing in this report apply to the product/system which was tested only.

Page 5 of 9

2. GENERAL INFORMATION

2.1. DESCRIPTION OF EUT

The EUT is a short range, WPT device.

Details of technical specification refer to the description in follows:

Hardware Version	LWC-S08-LP10W-A0		
Software Version	V1.0		
Operate Frequency Energy transmission: 110-205kHz Data communication:153.3KHz			
Antenna Type	Integral antenna		
Power Supply	DC 5V 2.0A or DC 9V 1.67A by USB		

NOTE: 1. For more information, please refer to User's Manual.



Report No.: AGC04094190605EH02 Page 6 of 9

3. TEST SETUP

2.1 STANDARD APPLICABLE

According to EN 62311:2008, Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz – 300 GHz).

Reference levels for electric, magnetic and electromagnetic fields (0 Hz to 300 GHz, unperturbed rms values)


Frequency range	E-field strength (V/m)	H-field strength (A/m)	B-field (μT)	Equivalent plane wave power density S _{eq} (W/m²)
0-1 Hz	_	3,2 × 10 ⁴	4 × 10 ⁴	_
1-8 Hz	10 000	$3,2 \times 10^4/f^2$	$4 \times 10^{4}/f^{2}$	_
8-25 Hz	10 000	4 000/f	5 000/f	_
0,025-0,8 kHz	250/f	4/f	5/f	_
0,8-3 kHz	250/f	5	6,25	_
3-150 kHz	87	5	6,25	_
0,15-1 MHz	87	0,73/f	0,92/f	_
1-10 MHz	87/f ^{1/2}	0,73/f	0,92/f	_
10-400 MHz	28	0,073	0,092	2
400-2 000 MHz	1,375 f1/2	0,0037 f ^{1/2}	0,0046 f ^{1/2}	f/200
2-300 GHz	61	0,16	0,20	10

Page 7 of 9

2.2 EVALUATION METHODS

Measurement of E and H field

A commonly used probe size is 100 cm², also the contribution of the three axes X, Y and Z can be evaluated separately.



Note: Position A: Front of EUT; Position B: Left of EUT; Position C: back of EUT; Position D: Right of EUT; Position E: Top of EUT

Based on the above standard limit, any device with output power below 5A/m cannot produce an exposure exceeding this restriction under the most pessimistic exposure conditions.

Page 8 of 9

2.3 EVALUATION EQUIPMENT

Description	Manufacturer	Model	S/N	Cal. Date	Cal. Due
Broadband Field	Narda Safety Test	NBM-550	J-0004	June 12, 2018	June 11, 2019
Meter	Solutions GmbH				
Probe FHP	Narda Safety Test	EHP-50F	J-0015	June 12, 2018	June 11, 2019
1 TODE I III	Solutions GmbH	L111 -301			

2.4 EVALUATION RESULTS

Frequency	Maximum Radiated H-Field at 5cm		Limit	Result	
MHz	A/m		A/m	Pass/Fail	
	position E	0.049	4.76	Pass	
	position A	0.015			
110-205kHz	position B	0.015			
	position C	0.015			
	position D	0.015			

Since Radiated H-Field at worse case is 0.049A/m, which cannot exceed the exempt condition, 4.76A/m. It is deemed to full fit the requirement of RF exposure basic restriction specified in EC Council Recommendation (1999/519/EC).



Page 9 of 9

Statement

- 1. This report is invalid without the special seal for report of AGC and the signatures of approver.
- 2. This report is invalid if it is blotted out and deleted.
- 3. If the applicant has any questions about results, shall submit to AGC within 15 days.
- 4. This report is responsible for the sample provided by the client only.
- 5. This report shall not be reproduced except in full, or extracted without the written approval of AGC.
- 6. This report photocopy is invalid without the red chop.

