

1.2m Drop Test Report

1.2m跌落测试报告

Sample name : Li-ion Polymer Cell

物品名称 : 锂离子聚合物电芯

Model :
602030

型号 :

Applicant : ShenZhen FuYuMing Electronics
CO., LTD.

申请商 : 深圳市富玉铭电子有限公司

深圳立讯检测股份有限公司
Shenzhen LCS Compliance Testing Laboratory Ltd.

1.2m Drop Test Report

1.2米跌落测试报告

Report reference No	LCS181113157ASB	
报告号		
Tested by (+ signature)	Seven Liu	
测试(签名)	刘秋媛	
Checked by (+ signature)	Rick zhu	
审核(签名)	朱才源	
Approved by (+ signature)	Hart Qiu	
批准(签名)	邱文才	
Contents.....	5 pages	
页数.....		
Date of issue	2019.01.11	
签发日期.....		
Testing Laboratory Name	Shenzhen LCS Compliance Testing Laboratory Ltd.	
测试实验室.....	深圳立讯检测股份有限公司	
Address	Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen, Guangdong, China	
地址.....	广东省深圳市宝安区宝安大道通达路星源科技园	
Applicant's Name	ShenZhen FuYuMing Electronics CO., LTD.	
申请商.....	深圳市富玉铭电子有限公司	
Address	Room 202, Floor 2, Building A, Yiquan Building, Fuqian Road No.436, Jitang Community, Guanlan Street, Longhua New District, Shenzhen City.	
地址.....	深圳市龙华新区观澜街道桔塘社区福前路436号颐泉综合楼A栋2楼202室	
Manufacturer	ShenZhen FuYuMing Electronics CO., LTD.	
制造商.....	深圳市富玉铭电子有限公司	
Address	Room 202, Floor 2, Building A, Yiquan Building, Fuqian Road No.436, Jitang Community, Guanlan Street, Longhua New District, Shenzhen City.	
地址.....	深圳市龙华新区观澜街道桔塘社区福前路436号颐泉综合楼A栋2楼202室	
Test Standard	United nations "recommendations on the TRANSPORT OF DANGEROUS GOODS" model Regulations (20 th Rev. Edition) special provisions 188.	
测试标准.....	联合国《关于危险货物运输的建议书—规章范本 ST/SG/AC.10/1/Rev.20 188款》。	
Date of performance of test.....	2019.01.08~ 2019.01.09	
测试执行日期.....		
Result	Pass	
结果.....	合格	

一. Basic information基本信息

Battery name 电池名称	Li-ion Polymer Cell 锂离子聚合物电芯	Type 型号规格	602030
Nominal voltage 标称电压	3.7V	Rated capacity 额定容量	300mAh, 1.11Wh
Number 内含数量	4PCS	Trade mark 商标	--
Packaging weight 包装件重量	0.12kg	Packaging dimensions 包装件尺寸 (L*W*T)	(210*90*45) mm
Outer packing 外包装	Corrugated case 瓦楞纸箱	Inside packing 内包装	EPE 珍珠棉
Type of packing 包装方式	Cells or batteries only 单独运输电池		
Net quantity of batteries per package 每包装件电池净重	0.02kg		
Test item 试验项目	1.2m drop test 1.2米跌落测试		
Test conclusion 试验结论	The tested package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery or cell to cell contact and without release of contents. the test passed. 被测试包装件能够承受1.2m跌落试验, 其内装的电池没有破损, 没有产生导致内装电池的直接接触的移动及内容物泄漏, 测试合格。		

二. 1.2m drop test1.2米跌落测试

Environmental conditions环境条件: Temperature温度 (20±5) °C, R.H.相对湿度 (40-70) %

Name of Equipment测试设备: Free fall tester跌落试验机No. 编号: LCS-S-099

No. 序号	test item 试验项目	Test method 试验依据	Result 结果	Remark 备注
1	1.2m drop test 1.2米跌落测试	United nations "recommendations on the TRANSPORT OF DANGEROUS GOODS" model Regulations (20th Rev. Edition) special provisions 188. 《联合国关于危险货物运输的建议书—规章范本 ST/SG/AC.10/1/Rev.20 188款》	Pass 合格	--

Drop position跌落方向:

Drop position 跌落方向	Top 上面	Front 前面	Side 侧面	Edge 棱	Angle 角
Status 包装状态	合格/Pass	合格/Pass	合格/Pass	合格/Pass	合格/Pass


Testing requirements description测试要求描述:

The package of batteries is dropped from 1.2m 5 times per package. Each package is capable of withstanding a 1.2m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the content so as to allow battery to battery(cell to cell) contact and without release of contents.

每个电芯或电池的包装件或者完全包装件必须能承受 1.2 米跌落测试, 每个包装件进行 5 次不同方向的跌落测试, 而不造成包含在其中的电池或电芯的损坏, 不造成使电池与电池(电芯与电芯)接触的内含物的移动和内含物的释出。

Conclusion结论: The package had passed 1.2m drop test.包装件通过1.2m跌落试验

THE PHOTO OF SAMPLE 样品图片



注意事项

Important Notice

1. The test report is invalid without the official stamp of LCS.

本报告书无LCS盖章无效。

2. The test report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.

本报告书无批准人、审核人、及主检人签名无效。

3. Nobody is allowed to partly photocopy this test report without written permission of LCS.

未经LCS书面同意，不得部分地复制本报告书。

4. The report is invalid when anything of following happens – illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

5. Product information and customer information provided by the applicant, we are not responsible for its authenticity.

产品信息和客户信息由申请人提供，我们不对其真实性负责。

6. The test report is valid for the tested samples only.

本报告仅对本次测试样品有效。

7. The Chinese contents in this report are only for reference.

本报告中的中文内容仅供参考。

8. Objections to the test report must be submitted to LCS with in 15 days.

对报告书若有异议，应于收到报告之日起15天内向本公司提出。

End of report