

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 1 of 15

Applicant: Xindao B.V.
Address: P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands
Test site: 1,6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang,
Baoan District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name: Bamboo wireless charging speaker
Sample Model: P329.17
Sample Received Date: Jun.06, 2019
Testing Period: Jun.06, 2019 to Jun.14, 2019

Test Requested: Please refer to following page(s).

Test Method: Please refer to following page(s).

Test Result: Please refer to following page(s).

Approved by: 

Liulinwen, Lewis

Technical Director



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001
Date: Jun.14, 2019

Page 2 of 15

Test Requested:

1. As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs content in the submitted sample in accordance with EU RoHS Directive 2011/65/EU(RoHS) and its amendment directives on XRF and Chemical Method.
- 2.As specified by client, to determine the DBP, BBP, DEHP, DIBP content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863.

Conclusion
Pass
Pass
Test Methods:

A: Screening by X-ray Fluorescence Spectrometry (XRF) :With reference to IEC 62321-3-1:2013 Ed 1.0 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

B: Chemical test:

Test Item	Test Method	Measuring Instrument	MDL
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Lead (Pb)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017 Ed 1.1	ICP-OES	2 mg/kg
Non-metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017 Ed 1.0	UV-Vis	1 mg/kg
Metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015 Ed 1.0	UV-Vis	/
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0	GC-MS	5 mg/kg

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.


Attestation of Global Compliance Std. & Tech.
No.18 C

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com 400 089 2118
 Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 3 of 15

Test Results:
A、EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq. No.	Tested Part(s)	Results(mg/kg)				
		Cd	Pb	Hg	Cr	Br
1	Black plastic shell(outer shell)	BL	BL	BL	BL	X*
2	Black rubber ring(outer shell)	BL	BL	BL	BL	-
3	Black rubber mats(outer shell)	BL	BL	BL	BL	BL
4	Bamboo outer shell	BL	BL	BL	BL	BL
5	Silver screw	BL	BL	BL	BL	-
6	Black plastic stents	BL	BL	BL	BL	BL
7	Black rubber vibrating film	BL	BL	BL	BL	BL
8	Black metal sheet	BL	BL	BL	BL	-
9	Magnetic shielding cover(horn)	BL	BL	BL	BL	-
10	Silver metal frame(horn)	BL	BL	BL	BL	-
11	Tin solder(horn)	BL	BL	BL	X*	-
12	White connecting piece(horn)	BL	BL	BL	BL	BL
13	Rivet(horn)	BL	BL	BL	BL	-
14	Damper(horn)	BL	BL	BL	BL	BL
15	Silver magnet(horn)	BL	BL	BL	BL	-
16	Black rubber vibrating film(horn)	BL	BL	BL	BL	BL
17	Globe-roof(horn)	BL	BL	BL	BL	BL
18	Enameled wire(horn)	BL	BL	BL	BL	-
19	Black wire jacket	BL	BL	BL	BL	BL
20	Red enameled wire	BL	BL	BL	BL	-
21	Blue enameled wire	BL	BL	BL	BL	-
22	Electric core(battery)	BL	BL	BL	BL	BL
23	Tin solder(battery)	BL	BL	BL	BL	-
24	Green PCB board(battery)	BL	BL	BL	BL	X*

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 4 of 15

Seq. No.	Tested Part(s)	Results(mg/kg)				
		Cd	Pb	Hg	Cr	Br
25	Black wire jacket(battery)	BL	BL	BL	BL	BL
26	Red wire jacket(battery)	BL	BL	BL	X*	BL
27	Brown tape(battery)	BL	BL	BL	BL	BL
28	Chip resistor(battery)	BL	BL	BL	BL	BL
29	Chip capacitor(battery)	BL	BL	BL	BL	BL
30	Chip IC(battery)	BL	BL	BL	BL	BL
31	Pin(battery)	BL	BL	BL	BL	-
32	Metallized film capacitor	BL	BL	BL	BL	BL
33	Chip crystal oscillator	BL	BL	BL	BL	BL
34	Chip triode	BL	BL	BL	BL	BL
35	Chip capacitor	BL	BL	BL	BL	BL
36	IC body(IC)	BL	BL	BL	BL	BL
37	Pin(IC)	BL	BL	BL	BL	-
38	Chip resistor	BL	BL	BL	BL	BL
39	Tin solder	BL	BL	BL	BL	-
40	PCB board	BL	BL	BL	BL	X*
41	Black plastic button(button switch)	BL	BL	BL	BL	BL
42	Black plastic shell(button switch)	BL	BL	BL	BL	BL
43	Silvery metal shrapnel(button switch)	BL	BL	BL	X*	-
44	Silver metal sheet(button switch)	BL	BL	BL	BL	-
45	Micro metal joint(Micro joint)	BL	BL	BL	BL	-
46	Black plastic joint(Micro joint)	BL	BL	BL	BL	BL
47	Contact pin(Micro joint)	BL	BL	BL	BL	-
Data line						
48	Black plastic handle(USB plug)	BL	BL	BL	BL	BL
49	USB metal plug(USB plug)	BL	BL	BL	BL	-

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001
Date: Jun.14, 2019
Page 5 of 15

Seq. No.	Tested Part(s)	Results(mg/kg)				
		Cd	Pb	Hg	Cr	Br
50	Tin solder(USB plug)	BL	BL	BL	BL	-
51	White plastic plug(USB plug)	BL	BL	BL	BL	BL
52	Tin solder(Micro plug)	BL	BL	BL	BL	-
53	Black plastic plug(Micro plug)	BL	BL	BL	BL	BL
54	Pin(Micro plug)	BL	BL	BL	X*	-
55	Contact pin(Micro plug)	BL	BL	BL	BL	-
56	Micro metal plug(Micro plug)	BL	BL	BL	X*	-

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70-3\sigma < X$ $< 130+3\sigma \leq OL$	$BL \leq 70-3\sigma < X$ $< 130+3\sigma \leq OL$	$BL \leq 50-3\sigma < X$ $< 150+3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700-3\sigma < X$ $< 1300+3\sigma \leq OL$	$BL \leq 700-3\sigma < X$ $< 1300+3\sigma \leq OL$	$BL \leq 500-3\sigma < X$ $< 1500+3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700-3\sigma < X$ $< 1300+3\sigma \leq OL$	$BL \leq 700-3\sigma < X$ $< 1300+3\sigma \leq OL$	$BL \leq 500-3\sigma < X$ $< 1500+3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700-3\sigma < X$	$BL \leq 700-3\sigma < X$	$BL \leq 500-3\sigma < X$
Br	mg/kg	$BL \leq 300-3\sigma < X$	-	$BL \leq 250-3\sigma < X$

Note: BL= Below Limit

OL= Over limited

X= Inconclusive

“-“= Not regulated

*= Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 6 of 15

Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013 Ed 1.0.
- ii The XRF scanning test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

B、 The Test Results of Chemical Method:

1) The Test Results of non-metal Cr⁶⁺

Test Item(s)	Unit	Result(s)	Limit
		26	
Hexavalent Chromium(Cr ⁶⁺)	mg/kg	N.D.	1000

Note: N.D. = Not Detected or less than MDL
mg/kg = parts per million
MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 7 of 15

2)The Test Results of metal Cr⁶⁺

Test Item(s)	MDL	Result(s)				Limit
		11	43	54	56	
Hexavalent Chromium (Cr ⁶⁺)	See note	Negative	Negative	Negative	Negative	#

Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result
1	The sample solution is < the 0,10 µg/cm ² equivalent comparison standard solution	The sample is negative for Cr(VI) – The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
2	The sample solution is ≥ the 0,10 µg/cm ² and ≤ the 0,13 µg/cm ² equivalent comparison standard solutions	The result is considered to be inconclusive – Unavoidable coating variations may influence the determination.
3	The sample solution is > the 0,13 µg/cm ² equivalent comparison standard solution	The sample is positive for Cr(VI) – The Cr(VI) concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

- # = Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
- Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.
- Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).
- Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 8 of 15

3) The Test Results of PBBs & PBDEs

Unit: mg/kg

Item(s)	MDL	Result(s)			Limit
		1	24	40	
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	5	N.D.	N.D.	N.D.	Total PBBs Content <1000
Dibromobiphenyl	5	N.D.	N.D.	N.D.	
Tribromobiphenyl	5	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	
Octabromobiphenyl	5	N.D.	N.D.	N.D.	
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	
Decabromodiphenyl	5	N.D.	N.D.	N.D.	
Total content	/	N.D.	N.D.	N.D.	
Polybrominated Diphenylethers (PBDEs)					
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	Total PBDEs Content <1000
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Nonabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	
Total content	/	N.D.	N.D.	N.D.	
Conclusion	/	Pass	Pass	Pass	/

Note: N.D. = Not Detected or less than MDL
 mg/kg = parts per million
 MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 9 of 15

2.Test result of DBP, BBP, DEHP, DIBP content

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			1	2	3	4	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			6	7	12	14	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			16	17	18	19	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report

Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 10 of 15

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			20	21	22	24	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			25	26	27	28	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			29	30	32	33	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Attestation of Global Compliance Std. & Tech.

 Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com 400 089 2118
 Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China

No.18 C

Test Report

Report No.: AGC04094190603-001
Date: Jun.14, 2019
Page 11 of 15
Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			34	35	36	38	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)				Limit
			40	41	42	46	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	Pass	/

Unit: mg/kg

Test Item(s)	Test Method/ Equipment	MDL	Result(s)			Limit
			48	51	53	
Di-(2-ethylhexyl) Phthalate (DEHP)	IEC 62321-8:2017 GC-MS	50	N.D.	N.D.	N.D.	1000
Dibutyl phthalate (DBP)		50	N.D.	N.D.	N.D.	1000
Butylbenzyl phthalate (BBP)		50	N.D.	N.D.	N.D.	1000
Di-iso-butyl phthalate (DIBP)		50	N.D.	N.D.	N.D.	1000
Conclusion		/	Pass	Pass	Pass	/

- Note:**
1. MDL = Method Detection Limit
 2. N.D. = Not Detected (less than method detection limit)

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Test Report


Report No.: AGC04094190603-001

Date: Jun.14, 2019


Page 12 of 15

Test Flow Chart


1.For non-metal Cr(VI)



2.For metal Cr(VI)



3. For PBBs, PBDEs, DBP, BBP, DEHP, DIBP



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

AGC

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com 400 089 2118
Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China

No.18 C

Test Report

Report No.: AGC04094190603-001


Date: Jun.14, 2019

Page 13 of 15

The photo of the sample




1



2



3



4



5



6

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

AGC

Attestation of Global Compliance Std. & Tech.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com 400 089 2118
Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China


No.18 C

Test Report


Report No.: AGC04094190603-001

Date: Jun.14, 2019


Page 14 of 15




7




8




9



10



11



12


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Test Report


Report No.: AGC04094190603-001

Date: Jun.14, 2019

Page 15 of 15



13



14



15

AGC04094190603-001

AGC authenticate the photo only on original report

*** End of Report ***

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.