

RF Exposure Report

Report No.: AGC04094190401FH03

FCC ID 2AEWEP705251

APPLICATION PURPOSE **Original Equipment**

PRODUCT DESIGNATION Bobby tech(wireless charger)

BRAND NAME N/A

MODEL NAME P705.251

CLIENT Xindao B.V.

DATE OF ISSUE Apr. 30, 2019

KDB 680106 D01 RF Exposure Wireless Charging Base STANDARD(S)

App v03

REPORT VERSION

Attestation of Global Compliance (Shenzhen) Co., Ltd



This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.

The results shown this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 💢 🗲, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be



Page 2 of 13

6 400 089 2118

REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date | Valid Version | Notes |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0 | | Apr. 30, 2019 | Valid | Initial Release |

The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 100°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at although the confirmed at all the IGC 8



Page 3 of 13

6 400 089 2118

| 1. VERIFICATION OF CONFORMITY | 4 |
|--|---|
| 2. GENERAL INFORMATION | |
| 2.1. PRODUCT DESCRIPTION | |
| 3. DESCRIPTION OF TEST MODES | |
| 4. SYSTEM TEST CONFIGURATION | |
| 5. TEST FACILITY | |
| 6. RADIO FREQUENCY (RF) EXPOSURE TEST | |
| 6.1. LIMITS | |
| 6.2. TEST SETUP | |
| ADDENDIV A. DUOTOCD ADUS OF TEST SETUD | |

The results spouroid this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Page 4 of 13

1. VERIFICATION OF CONFORMITY

| Applicant | Xindao B.V. |
|--------------------------|---|
| Address | P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands |
| Manufacturer | Xindao B.V. |
| Address | P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands |
| Factory | Xindao B.V. |
| Address | P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands |
| Product Designation | Bobby tech(wireless charger) |
| Brand Name | N/A |
| Test Model: | P705.251 |
| Date of test | Apr. 17, 2019 to Apr. 28, 2019 |
| Deviation | None |
| Condition of Test Sample | Normal |
| Report Template | AGCRT-US-BR/RF |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in KDB 680106 D01.

The results of testing in this report apply to the product/system which was tested only.

| Tested By | Brik Joing | |
|--|---|---------------|
| C American E | Erik Yang(Yang Jianmin) | Apr. 28, 2019 |
| Reviewed By | Max Zlang | |
| station of clother and the state of the stat | Max Zhang(Zhang Yi) | Apr. 30, 2019 |
| Approved By | forrest ce | |
| © Francisco de Conne Companio | Forrest Lei(Lei Yonggang) Authorized Officer | Apr. 30, 2019 |

The results spown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.



Page 5 of 13

2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| 71 major teerimear accomption of Ee | 1 15 described de l'ollewing |
|-------------------------------------|---|
| Operation Frequency | 127.6kHz |
| Maximum field strength | 55.65dBuV/m(PK)@3m |
| Number of channels | T. T |
| Antenna Designation | Integrated Antenna (Met 15.203 Antenna requirement) |
| Hardware Version | CD-1054P_V1.3 |
| Software Version | V1.0 |
| Power Supply | DC 5V 2A or DC 9V 1.67A by adaptor |

The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 1000, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.



Page 6 of 13

3. DESCRIPTION OF TEST MODES

| NO. | | TEST MODE DESCRIPTION | |
|------------|------------------------|-----------------------------------|--------------------------------|
| Compliance | S SEE | Wireless charging Mode(Full load) | |
| 2 | ® # South of ciconal C | Wireless charging Mode(half load) | |
| 3 | | Wireless charging Mode(Null load) | pance (s) Million of Clobal Co |

4. SYSTEM TEST CONFIGURATION

| Item | Equipment | Model No. | ID or Specification | Remark |
|------|------------------------------|-----------|----------------------------|-----------|
| 10 | Bobby tech(wireless charger) | P705.251 | 2AEWEP705251 | EUT |
| 2 | Adapter | MDY-08-ES | DC 5.0V/3A, 9V/2A,12V/1.5A | Accessory |
| 3 | Wireless Load | N/A | 10W | Accessory |
| 4 | USB cable | N/A | 1m unshielded | Accessory |

The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 1000, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Page 7 of 13

5. TEST FACILITY

| Test Site | Attestation of Global Compliance (Shenzhen) Co., Ltd |
|-----------------------------------|--|
| Location | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China |
| Designation Number | CN1259 |
| FCC Test Firm Registration Number | 975832 |
| A2LA Cert. No. | 5054.02 |
| Description | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA |

TEST EQUIPMENT LIST

| Description | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|--------------------------|-------------------------------------|---------|--------|--------------|--------------|
| Broadband Field Meter | Narda Safety Test Solutions GmbH | NBM-550 | J-0004 | Jun.12, 2018 | Jun.11, 2019 |
| Probe FHP | Narda Safety Test Solutions GmbH | EHP-50F | J-0015 | Jun.12, 2018 | Jun.11, 2019 |

The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 100°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at although the confirmed at all the






6. RADIO FREQUENCY (RF) EXPOSURE TEST

6.1. LIMITS

For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance of 15 cm. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with the 15 cm measured from the center of the probe(s) to the edge of the device. Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63 A/m.

6.2. TEST SETUP



Note: Position A: Front of EUT; Position B: Left of EUT; Position C: back of EUT; Position D: Right of EUT; Position E: Top of EUT(15 cm measure distance);

The results spowfil this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 40°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.



Page 9 of 13

6.3. TEST PROCEDURE

The EUT was placed on a non-conductive table top and the ancillary equipment (e.g. mobile phone) was placed on the EUT for charging.

Maximum E-field and H-field measurements were tested 20cm from each side of the EUT. For top side the measure distance is 20cm.

Along the side of the EUT to center of E-field probe and H-field probe were positioned at the location to search maximum field strength.

6.4. TEST RESULT

Test condition: Mode 1

E-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (V/m) |
| | (V/m) | (V/m) | (V/m) | (V/m) | (V/m) | |
| 127.6kHz | 0.16 | 0.16 | 0.16 | 0.16 | 2.42 | 614 |

H-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (A/m) |
| | (A/m) | (A/m) | (A/m) | (A/m) | (A/m) | |
| 127.6kHz | 0.08 | 0.08 | 0.08 | 0.08 | 0.56 | 1.63 |

Test condition: Mode 2
E-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (V/m) |
| | (V/m) | (V/m) | (V/m) | (V/m) | (V/m) | |
| 127.8kHz | 0.16 | 0.16 | 0.16 | 0.16 | 2.36 | 614 |

H-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (A/m) |
| | (A/m) | (A/m) | (A/m) | (A/m) | (A/m) | |
| 127.8kHz | 0.08 | 0.08 | 0.08 | 0.08 | 0.62 | 1.63 |

The results spowed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 40°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.



Page 10 of 13

Test condition: Mode 3 E-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (V/m) |
| | (V/m) | (V/m) | (V/m) | (V/m) | (V/m) | |
| 115.3kHz | 0.16 | 0.16 | 0.16 | 0.16 | 2.41 | 614 |

H-field strength test result:

| Frequency | Probe | Probe | Probe | Probe | Probe | Limit |
|-----------|------------|------------|------------|------------|------------|-------|
| Range | Position A | Position B | Position C | Position D | Position E | (A/m) |
| | (A/m) | (A/m) | (A/m) | (A/m) | (A/m) | |
| 115.3kHz | 0.08 | 0.08 | 0.08 | 0.08 | 0.46 | 1.63 |

The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 100°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at although the confirmed at all the



APPENDIX A: PHOTOGRAPHS OF TEST SETUP

Position E



Position A



The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 1000, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.gett.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China



Position B



Position C



The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 100°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at alther.//www.agc.gett.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F. , Building 2, No.1-4,Chaxi Sanwei Technical Industrial Park,Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China





Position D



----FND OF REPORT----

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 100°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc.gett.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F. , Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China