# HEALTH TEST REPORT For

Prepared for Address	:	
Prepared by	:	Shenzhen LCS Compliance Testing Laboratory Ltd.
Address	:	101,601, Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen, Guangdong, China
Tel	:	(+86)755-82591330
Fax	:	(+86)755-82591332
Web	:	www.LCS-cert.com
Mail	:	webmaster@LCS-cert.com
Date of receipt of test sample Number of tested samples Serial number Date of Test Date of Report	::	August 08, 2019 1 Prototype August 08, 2019 ~ August 30, 2019 September 03, 2019

# CE

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.. Page 1 of 7 SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Report No.: LCS190725062AEC

	HEALTH TEST REPORT			
	EN 62479: 2010	그 옷이 있는 것 같은 것 같아?		
Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz).				
eport Reference No : LCS190717054AEC				
Date of Issue	: September 03, 2019			
Testing Laboratory Name	: Shenzhen LCS Compliance Test			
Address	: 101,601, Xingyuan Industrial Park, Tongda Road, Bao' an Avenue, Bao' an District, Shenzhen, Guangdong, China			
Testing Location/ Procedure	<ul> <li>Full application of Harmonised standards</li> <li>Partial application of Harmonised standards</li> <li>Other standard testing method</li> </ul>			
Applicant's Name	•			
Address				
Test Specification	승규는 아이들의 가장 사람들에서 물건을 받았다.			
Standard	: EN 62479: 2010			
Test Report Form No	: LCSEMC-1.0	방법 사람이 집에 가지 않는		
TRF Originator	: Shenzhen LCS Compliance Testin	g Laboratory Ltd.		
Master TRF : Dated 2011-03				
·	iance Testing Laboratory Ltd. takes n sulting from the reader's interpretation			
Test Item Description.	: True wireless earbuds			
Trade Mark				
Test Model	: XO-9606-1			
Ratings	: DC 3.7V by Battery(35mAh) Recharge Voltage: DC 5V			
Result	: Positive			
Compiled by:	Supervised by:	Approved by:		
Caurolle Li	Aking Jin	S TOT STANS		
Camille Li/ Administrators	Aking Jin / Technique principal	Gavin Liang/ Manager		

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.. Page 2 of 7 SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Report No.: LCS190725062AEC

# **HEALTH -- TEST REPORT**

# Test Report No.: LCS190717054AEC

September 03, 2019 Date of issue

Test Model	: XO-9606-1
EUT	: True wireless earbuds
Applicant	
Address	
Telephone	
Fax	
Manufacturer	-
Address	
Talanhana	
Telephone	
Fax	
Factory	
Factory	
Address	
Talanhana	
Telephone	
Fax	: /

**Positive** 

The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

THIS DOCUMENT WAS REDACTED WITH THE PRODUCTIP REDACTION TOOL ON 2019-09-16. AT THE TIME OF GENERATING THE DOCUMENT THE ORIGINAL DOCUMENT WAS AVAILABLE ALSO. THE ORIGINAL CAN ONLY BE MADE AVAILABLE BY THE DOCUMENT OWNER.

## **Revision History**

Revision	Issue Date	Revisions	Revised By
000	September 03, 2019	Initial Issue	Gavin Liang

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.. Page 4 of 7

# **1. GENERAL INFORMATION**

#### **1.1. Product Description for Equipment Under Test (EUT)**

EUT	:	True wireless earbuds		
Test Model	:	XO-9606-1		
Additional Model No.	:	N/A		
Model Declaration	:	PCB board, structure and internal of these model(s) are the same, So no additional models were tested.		
Power Supply	:	DC 3.7V by Battery(35mAh) Recharge Voltage: DC 5V		
Hardware Version	:	/		
Software Version	:	/		
Bluetooth				
Frequency Range	:	2.402-2.480GHz		
Channel Number	:	79 channels for Bluetooth V5.0 (BDR/EDR)		
Channel Spacing	:	1MHz for Bluetooth V5.0 (BDR/EDR)		
Modulation Type	:	GFSK, $\pi$ /4-DQPSK for Bluetooth V5.0 (BDR/EDR)		
Bluetooth Version	:	V5.0		
Antenna Description	:	PCB Antenna, 0dBi (Max.)		

#### 1.2. Objective

According to its specifications, the EUT must comply with the requirements of the following standards: EN 62479: 2010 – Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

#### 1.3. Test Methodology

All measurements contained in this report were conducted with EN 62479: 2010.

#### **1.4. Description of Test Facility**

FCC Registration Number is 254912.

Industry Canada Registration Number is 9642A-1.

EMSD Registration Number is ARCB0108.

UL Registration Number is 100571-492.

TUV SUD Registration Number is SCN1081.

TUV RH Registration Number is UA 50296516-001.

NVLAP Accreditation Code is 600167-0.

FCC Designation Number is CN5024.

CAB identifier: CN0071

#### 1.5. Support equipment List

Manufacturer	Description	Model	Serial Number	Certificate
Lenovo	Notebook	B470	WB05067151	CE
Lenovo	AC/DC ADAPTER	ADP-90DD B	36001941	CE

#### 1.6. External I/O

I/O Port Description	Quantity	Cable

#### 1.7. Equipment

Radiated emissions are measured with one or more of the following types of linearly polarized antennas: tuned dipole, bi-conical, log periodic, bi-log, and/or ridged waveguide, horn. Spectrum analyzers with pre-selectors and quasi-peak detectors are used to perform radiated measurements. Conducted emissions are measured with Line Impedance Stabilization Networks and EMI Test Receivers.

Calibrated wideband preamplifiers, coaxial cables, and coaxial attenuators are also used for making measurements.

All receiving equipment conforms to CISPR Publication 16-1, "Radio Interference Measuring Apparatus and Measurement Methods."

#### **1.8. Measurement Uncertainty**

Parameter	Uncertainty
Occupied Channel Bandwidth	5 %
RF output power, conducted	1,5 dB
Power Spectral Density, conducted	3 dB
Unwanted Emissions, conducted	3 dB
All emissions, radiated	6 dB
Temperature	1 °C
Humidity	5 %
DC and low frequency voltages	3 %
Time	5 %
Duty Cycle	5 %

## 2. HUMAN EXPOSURE TO THE ELECTROMAGNETIC FIELDS

#### 2.1 Test Methodology

2.1.1.General description of applied standards

According to its specifications, the EUT must comply with the requirements of the following standards: EN 62479- Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

2.1.2.Description of test modes

The EUT has been tested under its typical operating condition. Pre-defined engineering program for regulatory testing used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

#### 2.2 Test limit

If the average power emitted by apparatus operating in the frequency range 10 MHz - 300 GHz is less than or equal to 20 mW and the transmitting peak power is less than 20 W then the apparatus is deemed to comply with the basic restrictions without testing.

#### 2.3 Test Results

THIS DOCUMENT WAS REDACTED WITH THE PRODUCTIP REDACTION TOOL ON 2019-09-16. AT THE TIME OF GENERATING THE DOCUMENT THE ORIGINAL CAN ONLY BE MADE AVAILABLE BY THE DOCUMENT OWNER

Since Max. output power for Bluetooth is 1.97mW (2.94dBm According to radio test report LCS190717054AEB) less than 20mW specified in EN 62479. This unit will not generate the harmful EM emission above the reference level as specified in EC Council Recommendation (1999/519/EC).

The unit complies with the EN 62479 for RF exposure requirement.

No non-compliance noted.

-----THE END OF REPORT------

This report shall not be reproduced except in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.. Page 7 of 7