

No. BCTC-FYC19140041R Date: July.12, 2019 Page 1 of 9

Applicant : Address :

The submitted sample and sample information was/were submitted and identified by/on the behalf

of the client

Sample name : RC04

Sample received date : July. 02, 2019

**Testing period** : July. 02, 2019 - July. 12, 2019

**Test requested** : 1. As specified by client, to screen Lead(Pb), Cadmium(Cd),

Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted

sample(s) by XRF.

2. As specified by client, when screening results exceed the XRF screening limit in IEC 62321-3-1:2013, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the

submitted samples.

3. As specified by client, to test the Di-isobutyl phthalate(DIBP),

Dibutyl phthalate(DBP), Benzyl butyl phthalate(BBP),

Bis(2-ethyl(hexyl) phthalate)(DEHP)in the submitted sample(s).

According to the RoHS Directive 2011/65/EU and amendment Commission Delegated Directive (EU) 2015/863

\*\*\*\*\*For more detailed information, please refer to the next page\*\*\*\*\*

Tested by Cho

Xingping Li



Hanyao Chen

Lab:Shenzhen BCTC Testing Co.,Ltd.



No. BCTC-FYC19140041R Date: July.12, 2019 Page 2 of 9

#### **Test Method:**

#### A. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1:2013.

Element	Limit of IEC 62321-3	MDL		
	Polymers and metals	Composite material	Polymers	Other material
Pb	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(500-3σ) <x <(1500+3σ)<br="">≤OL</x>	10 mg/kg	50 mg/kg
Cd	BL≤(70-3σ) <x <(130+3σ)<br="">≤OL</x>	LOD≤(50-3σ) <x <(150+3σ)<br="">≤OL</x>	10 mg/kg	50 mg/kg
Hg	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(500-3σ) <x <(1500+3σ)<br="">≤OL</x>	10 mg/kg	50 mg/kg
Cr	BL≤(700-3σ)< X	BL≤(500-3σ)< X	10 mg/kg	50 mg/kg
Br	BL≤(300-3σ)< X	BL≤(250-3σ)< X	10 mg/kg	50 mg/kg

#### Note:

- -BL = Under the XRF screening limit
- -OL = Further chemical test will be conducted while result is above the screening limit
- -X= The symbol "X" marks the region where further investigation is necessary
- $-3\sigma$ = The reproducibility of analytical instruments
- -LOD= Detection limit
- -"--" = Not regulated.

#### **B. Chemical Test**

Test Item(s)	Test Method	Measured Equipment(s)	MDL	Limit
Lead (Pb)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	1000 mg/kg
Cadmium (Cd)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	100 mg/kg
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017	ICP-OES	2 mg/kg	1000 mg/kg
Havayalant Chromium Cr/\(/I)	IEC 62321-7-1:2015 Ed.1.0	11// //16		1000 mg/kg
Hexavalent Chromium Cr(VI)	IEC 62321-7-2:2017 Ed.1.0	UV-VIS	8 mg/kg	1000 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015 Ed.1.0	GC-MS	5 mg/kg	1000 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015 Ed.1.0	GC-MS	5 mg/kg	1000 mg/kg
Phthalates	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg

No. BCTC-FYC19140041R

Date: July.12, 2019

Page 3 of 9

### **Test Results:**

Sample	Sample	Tested Items	XRF Screening Test	<b>Chemical Test</b>	Conclusion	
No.	Description	rested items	Unit (mg/kg)	Unit (mg/kg)	Conclusion	
	White wire	Pb	BL	1		
1		Cd	BL	1		
	jacket	Hg	BL	1	PASS	
	jacket	Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	/		
		Pb	BL	1		
		Cd	BL	1		
2	Yellow bamboo	Hg	BL	/	PASS	
		Cr(Cr(VI))	BL	/		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	/		
		Cd	BL	1		
3	White plastic	Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
	Yellow wire	Pb	BL	/		
		Cd	BL	/		
4		Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
	Green wire	Pb	BL	/		
		Cd	BL	1		
5		Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	1		
		Cd	BL	1		
6	Blue wire	Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
	Red wire	Pb	BL	/		
		Cd	BL	1		
7		Hg	BL	/	PASS	
		Cr(Cr(VI))	BL	/	1	
		Br(PBBs&PBDEs)	BL	1		

No. BCTC-FYC19140041R Date: July.12, 2019 Page 4 of 9

		Pb	BL	/	
8	Black metal	Cd	BL	/	
	(Screw)	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	1
		Pb	BL	/	
		Cd	BL	/	1
9	Silvery metal	Hg	BL	/	PASS
	(Spiral)	Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
		Pb	BL	/	
	Silvery metal	Cd	BL	/	
10	(charging port)	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
		Pb	BL	/	
	Cilvery meetal	Cd	BL	/	
11	Silvery metal pin (connector)	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	/	
		Pb	BL	/	
		Cd	BL	/	
12	Green PCB	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	1	1	
		Pb	BL	/	
		Cd	BL	/	
13	Green pcb	Hg	BL	1	PASS
		Cr(Cr(VI))	BL	1	
		Br(PBBs&PBDEs)	1	1	
		Pb	BL	1	
	Capacitance	Cd	BL	/	
14		Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	-
		Br(PBBs&PBDEs)		,	$\dashv$
		Pb	BL	1	
15		Cd	BL	/	
	Resistance	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	1	
		Br(PBBs&PBDEs)	1	/	





No. BCTC-FYC19140041R

BCIC

Date: July.12, 2019

Page 5 of 9

Tested Item(s)	BCTC		Results Unit (mg/kg)	BCTC	
-rTC		BCTC	1-15		BC
Di-isobutyl phthalate(DIBP)		C 11/10/11	N.D.		
CAS #:84-69-5			N.D.		
Dibutyl phthalate(DBP)			N.D.		
CAS #:84-74-2	RCIC		N.D.	BCTC	
Benzylbutyl phthalate(BBP)			N.D.		
CAS #:85-68-7		ncTC	N.D.		
Bis(2-ethyl(hexyl) phthalate)(DEHP)		D	N.D.		
CAS #:117-81-7		N.D.			

#### Note:

- -MDL = Method Detection Limit
- -N.D. = Not Detected (<MDL)
- -mg/kg = ppm = parts per million
- -" / "= Not conducted.
- -Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than  $0.1 \mu g/cm^2$  with  $50 cm^2$  sample surface area used.

BETC

-Positive = Presence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is equal to or greater than 0.13µg/cm² with 50cm² sample surface area used.

#### Remark:

- The screening results are only used for reference.
- When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.



No. BCTC-FYC19140041R

Date: July.12, 2019

Page 6 of 9

BCTC

BCTC

BCTC

BCTC


BCTC

#### **Test Process:**


BCTC

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

♦IEC 62321-5:2013 Ed.1.0



#### ♦IEC 62321-4:2013+AMD1:2017



BCTC

BCTC

#### Lab:Shenzhen BCTC Testing Co.,Ltd.

BCTC

Qiaotou Community, Fuyong Street, Bao 'an District, Shenzhen, China Tel: (86)0755-33229357 Fax: 0755-33229357


BCTC

No. BCTC-FYC19140041R


Date: July.12, 2019

Page 7 of 9


#### ♦IEC 62321-7-1:2015 Ed.1.0



#### ♦IEC 62321-7-2:2017 Ed.1.0



#### ♦IEC 62321-6:2015 Ed.1.0





BCTC

BCTC

BCTC

BCTC

BCTC

BCTC


# **Test Report**

No. BCTC-FYC19140041R Date: July.12, 2019 Page 8 of 9

BCTC

BCTC

#### ♦IEC 62321-8:2017 Ed.1.0



#### **Photograph of Sample**



Fig.1

BCTC

BCTC

BCTC

BCTC

BCTC

BUTC

BCTC

BETC

BCTC

BCTC

BCTC

BCTC

BCTC

No. BCTC-FYC19140041R

Date: July.12, 2019

Page 9 of 9

### Photo(s) of the tested component(s)



Fig.2




Fig.3

The test report is effective only with both signature and the special stamp for inspection and testing. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of BCTC, this report can't be reproduced except in full.