

Report No.: AGC-04094-19-08-02-001Date: Sep.02, 2019

Page 1 of 17

Applicant: Xindao B.V.

Address: P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands

Test site: 1,6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang,

Baoan District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name: Baia 5W wireless speaker

Model No.: P328.34

Sample Received Date: Aug.19, 2019

Testing Period: Aug. 19, 2019 to Sep. 02, 2019

Test Requested: Please refer to following page(s).

Test Method: Please refer to following page(s).

Test Result: Please refer to following page(s).





The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cept.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 2 of 17

Test Requested: Conclusion

1. As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 on XRF and Chemical Method.

Pass

2.As specified by client, to determine the DBP, BBP, DEHP, DIBP content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863.

Pass

Test Methods:

A: <u>Screening by X-ray Fluorescence Spectrometry (XRF)</u>: With reference to IEC 62321-3-1:2013 Ed 1.0 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

B: Chemical test:

Test Item	Test Method	Measuring Instrument	MDL
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Lead (Pb)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017 Ed 1.1	ICP-OES	2 mg/kg
Non-metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017 Ed 1.0	UV-Vis	1 mg/kg
Metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015 Ed 1.0	UV-Vis	The state of the control of the cont
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0	GC-MS	5 mg/kg

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 3 of 17

Test Results:

A, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq.	Tested Part(s)	litte:	Results(mg/kg)				
No.	lested Part(s)	Cd	Pb	Hg	Cr	Br	
1	White spots black plastic shell(outer shell)	BL	BL	BL	BL	X*	
2	Black rubber plug(outer shell)	BL	BL	BL	BL	BL	
3	White plastic lamp shade(outer shell)	BL	BL	BL	BL	BL	
4	Black mesh cloth(outer shell)	BL	BL	BL	BL	BL	
5	Black plastic cover(outer shell)	BL	BL	BL	BL	X*	
6	Khaki grey wood shell(outer shell)	BL	BL	BL	BL	BL	
7	Black rubber mats(outer shell)	BL	BL	BL	BL	BL	
8	Black rubber vibrating film(bass hood)	BL	BL	BL	BL	BL	
9	Black metal sheet(bass hood)	BL	BL	BL	BL	Food-Jobal Co	
10	T iron(horn)	BL	BL	BL	BL	-	
11	Magnet(horn)	BL	BL	BL	BL	BL	
12	Tin solder(horn)	BL	X*	BL	BL	L'aliance -	
13	Connecting sheet(horn)	BL	BL	BL	BL	BL	
14	Red wire jacket(horn)	BL	BL	BL	BL	BL	
15	Wire core(horn)	BL	BL	BL	BL	FI Global Com	
16	Black wire jacket(horn)	BL	BL	BL	BL	BL	
17	White plastic terminal seat(horn)	BL	BL	BL	BL	BL	
18	Black vibrating film(horn)	BL	BL	BL	BL	BL	
19	Silver metal frame(horn)	BL	BL	BL	X*	G-	
20	Silver magnet(horn)	BL	BL	BL	BL	-	
21	Damper(horn)	BL	BL	BL	BL	BL	
22	Enameled coil(horn)	BL	BL	BL 。	BL	-	
23	Black glue(microphone)	BL	BL	BL	BL	BL	
24	PCB(microphone)	BL	BL	BL	BL	X*	

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 4 of

Seq.	T-4-1P-4()	Results(mg/kg)					
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br	
25	Tin solder(microphone)	BL	BL	BL	BL	ion of Global	
26	Black wire jacket(microphone)	BL	BL	BL	BL	BL	
27	Red wire jacket(microphone)	BL	BL	BL	BL	BL	
28	Wire core(microphone)	BL	BL	BL	BL	© 4	
29	Copper shell(microphone)	BL	BL	BL	BL	<u> </u>	
30	Silver screw	BL	BL	BL	BL	- ////:	
31	Black screw	BL	BL	BL	BL	impliance _	
32	Black plastic audio joint(main board)	BL	BL	BL	BL	BL	
33	Chip triode(main board)	BL	BL	BL	BL	BL	
34	Chip capacitor(main board)	BL	BL	BL	BL	BL	
35	Chip resistor(main board)	BL	BL	BL	BL	BL	
36	Red plastic terminal seat(main board)	BL	BL	BL	BL	BL	
37	IC body(main board)	BL	BL	BL	BL	BL	
38	Tin plating(main board)	BL	BL	BL	BL	8 4	
39	Chip crystal(crystal)(main board)	BL	BL	BL	BL	BL	
40	Black plastic seat(crystal)(main board)	BL	BL	BL	BL	BL	
41	Black plastic switch button(switch)(main board)	BL	BL	BL	BL	BL	
42	Silver metal shell(switch)(main board)	BL	BL	BL	BL		
43	Silver metal switch button shrapnel(switch)(main board)	BL	BL	BL	X*	-	
44	Black plastic seat(main board)	BL	BL	BL	BL	X*	
45	Black sleeving(electrolytic capacitor)(main board)	BL	BL	BL	BL	BL	
46	Aluminum shell(electrolytic capacitor)(main board)	BL	BL	BL	BL	- <u>- 1</u> 111 -	
47	Anode foil(electrolytic capacitor)(main board)		BL	BL	BL	omplianes -	
48	Cathode foil(electrolytic capacitor)(main board)	BL	BL	BL	BL	3-0	
49	Electrolytic paper(electrolytic capacitor)(main board)	BL	BL	BL	BL	BL	
50	Black rubber plug(electrolytic capacitor)(main board)	BL 🔞	BL	BL	BL	BL	

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 5 of

Seq.	Tostad Pout(s)	Co	Results(mg/kg)						
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br			
51	Pin(electrolytic capacitor)(main board)	BL	BL	BL	BL	ion of Global Ca			
52	Micro silver metal joint(Micro joint)(main board)	BL	BL	BL	BL				
53	Micro gray plastic joint(Micro joint)(main board)	BL	BL	BL	BL	BL			
54	Contact pin(Micro joint)(main board)	BL	BL	BL	BL	© \$4			
55	PCB(main board)	BL	BL	BL	BL	X*			
56	Tin solder(main board)	BL	BL	BL	BL	- ////:			
57	White plastic terminal(main board)	BL	BL	BL	BL	BL			
58	Black white braided wire(belt)	BL	BL	BL	BL	BL			
59	Black braided wire(belt)	BL	BL	BL	BL	BL			
60	Brown tape(battery)	BL	BL	BL	X*	BL			
61	IC body(battery)	BL	BL	BL	BL	BL			
62	Tin plating(battery)	BL	BL	BL	BL	-			
63	Electric core(battery)	BL	BL	BL	BL	BL			
64	Black foam (battery)	BL	BL	BL	BL	BL			
65	PCB(battery)	BL	BL	BL	BL	X*			
66	Tin solder(battery)	BL	BL	BL	BL	不~			
67	Black wire jacket(battery)	BL	BL	BL	BL	BL			
68	Wire core(battery)	BL	BL	BL	BL	-			
69	Red wire jacket(battery)	BL	BL	BL	X*	BL			
70	Black handle(USB plug)	BL	BL	BL 1	BL	BL			
71	Contact pin(USB plug)	BL	BL	BL	BL	BL			
72	Pin(USB plug)	BL	BL	BL	BL	- (1995			
73	Tin solder(USB plug)	BL	BL	BL	BL	Compliance _			
74	USB silver metal plug(USB plug)	BL	BL	BL	BL	3-4			
75	Tin solder(Micro plug)	BL	BL	BL	BL	-			
76	Micro gray plastic plug(Micro plug)	BL	BL	BL	BL	BL			

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com. AGC

Attestation of Global Compliance Std. & Tech.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 6 of 17

Seq.	Total Depth (2)		Re	kg)	g)	
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
77	Pin(Micro plug)	BL	BL	BL	X*	alon of Global C
78	Contact pin(Micro plug)	BL	BL	BL	BL	3.0
79	Micro silver metal plug(Micro plug)	BL	BL	BL	X*	-
80	Black outer wire jacket(wire rod)	BL	BL	BL	BL	BL
81	Red wire jacket(wire rod)	BL	BL	BL	X*	BL
82	Wire core(wire rod)	BL	BL	BL	X*	- 1110:
83	Black wire jacket(wire rod)	BL	BL	BL	BL	BL

Element Unit Cd mg/kg		Non-metal	Metal	Composite Material
		BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>-</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	-	BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit

OL= Over limited X= Inconclusive "-"= Not regulated

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com.

^{*=} Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 7 of 17

Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013 Ed 1.0.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)					
Cadmium (Cd)	100					
Lead (Pb)	1000					
Mercury (Hg)	1000					
Hexavalent Chromium (Cr(VI))	1000					
Polybrominated biphenyls (PBBs)	1000					
Polybrominated diphenylethers (PBDEs)	1000					

Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 8 of 17

B. The Test Results of Chemical Method:

1) The Test Results of Pb

	II:4		Result(s)		
Test Item(s)	Unit	(8) See a pain of Clobs	12	100	70
Lead(Pb)	mg/kg	100 X	495		

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit

2) The Test Results of non-metal Cr⁶⁺

	TT 1.	Result(s)					
Test Item(s)	Unit	60	69	81	Limit		
Hexavalent Chromium(Cr ⁶⁺)	mg/kg	N.D.	N.D.	N.D.	1000		

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 9 of 17

3)The Test Results of metal Cr⁶⁺

Total Manual ()	MDI	Result(s)					
Test Item(s)	MDL	19	43	77	79	82	Limit
Hexavalent Chromium (Cr ⁶⁺)	See note	Negative	Negative	Negative	Negative	Negative	#

Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result				
1	The sample solution is <the 0,10="" cm<sup="" μg="">2 equivalent comparison standard solution</the>	The sample is negative for Cr(VI) – The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.				
2	The sample solution is \geq the 0,10 µg/cm ² and \leq the0,13 µg/cm ² equivalent comparison standard solutions	The result is considered to be inconclusive – Unavoidable coating variations may influence the determination.				
The state of the s	The sample solution is > the 0,13 μg/cm ² equivalent comparison standard solution	The sample is positive for Cr(VI) – The Cr(VI) concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).				

- # =Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 10 of 17

4) The Test Results of PBBs & PBDEs

Unit: mg/kg

T. C. Allesunos	1.55		Result(s)			Result(s)		litte:	The Manual Committee
Item(s)	MDL	1 1	5	24	44	55	65	Limit	
Polybrominated Biphenyls (Pl	BBs)		1		l		•		
Monobromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.		
Dibromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	- TIM	
Tribromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	amplier (C) Allesto	
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	CO	
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.		
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Total PBBs Content <1000	
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Content \1000	
Octabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.		
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	all	
Decabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	arco Trans	
Total content	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	(S) Attestation of Gre	
Polybrominated Diphenylethe	rs (PBDEs)	1.000						
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-611	
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	The Compliance	
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	aior of Giobai	
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	(C)	
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	T . I DDDE	
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Total PBDEs Content < 1000	
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	Content \1000	
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.		
Nonabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.		
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	The state of the s	
Total content		N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2G ***	
Conclusion	The complete	Pass	Pass	Pass	Pass	Pass	Pass		

Note: N.D. = Not Detected or less than MDL

> mg/kg = parts per million MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com. **ANGC**



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 11 of

2. Test result of DBP, BBP, DEHP, DIBP content

Test Method: IEC 62321-8:2017; Equipment: GC-MS

CC	Substance	MDL	Limit
DIBP	Di-iso-butyl phthalate	50 mg/kg	1000 mg/kg
DBP	Dibutyl phthalate	50 mg/kg	1000 mg/kg
BBP	Butylbenzyl phthalate	50 mg/kg	1000 mg/kg
DEHP	Di-(2-ethylhexyl) Phthalate	50 mg/kg	1000 mg/kg

Unit: mg/kg

Test item					* Comprising	Olit. Hig/K
Seq. No.	() All and a second	DIBP	DBP	BBP	DEHP	Conclusion
Comin.	Blobal	N.D.	N.D.	N.D.	N.D.	Pass
2		N.D.	N.D.	N.D.	N.D.	Pass
3	15 T	N.D.	N.D.	N.D.	N.D.	Pass
The Mediano 4	The Global Compile	N.D.	N.D.	N.D.	N.D.	Pass
fleedation of 5	Allestation.	N.D.	N.D.	N.D.	N.D.	Pass
6		N.D.	N.D.	N.D.	N.D.	Pass
7	KE TIMI	N.D.	N.D.	N.D.	N.D.	Pass
® 48 8	® Allesali	N.D.	N.D.	N.D.	N.D.	Pass
- 11	CO	N.D.	N.D.	N.D.	N.D.	Pass
13		N.D.	N.D.	N.D.	N.D.	Pass
14	The Global Compile	N.D.	N.D.	N.D.	N.D.	Pass
oal Conv	Alle station	N.D.	N.D.	N.D.	N.D.	Pass
17		N.D.	N.D.	N.D.	N.D.	Pass
18		N.D.	N.D.	N.D.	N.D.	Pass
21	® 5 4	N.D.	N.D.	N.D.	N.D.	Pass
23	CC AME	N.D.	N.D.	N.D.	N.D.	Pass
24		N.D.	N.D.	N.D.	N.D.	Pass
26	海	N.D.	N.D.	N.D.	N.D.	Pass
27	(Clopal Course	N.D.	N.D.	N.D.	N.D.	Pass
32		N.D.	N.D.	N.D.	N.D.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com.

AGC Attestation of Global Compliance Std. & Tech.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 12 of 17

Test item	® Attosiation of C	Mestation of Glos		100	10
Seq. No.	DIBP	DBP	BBP	DEHP	Conclusion
33	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.	N.D.	N.D.	N.D.	Pass
35 January of Colombia Colombi	N.D.	N.D.	N.D.	N.D.	Pass
36	N.D.	N.D.	N.D.	N.D.	Pass
37	N.D.	N.D.	N.D.	N.D.	Pass
39	N.D.	N.D.	N.D.	N.D.	Pass
40	N.D.	N.D.	N.D.	N.D.	Pass
41	N.D.	N.D.	N.D.	N.D.	Pass
44	N.D.	N.D.	N.D.	N.D.	Pass
45	N.D.	N.D.	N.D.	N.D.	Pass
49	N.D.	N.D.	N.D.	N.D.	Pass
50	N.D.	N.D.	N.D.	N.D.	Pass
53	N.D.	N.D.	N.D.	N.D.	Pass
55	N.D.	N.D.	N.D.	N.D.	Pass
57	N.D.	N.D.	N.D.	N.D.	Pass
58	N.D.	N.D.	N.D.	N.D.	Pass
59	N.D.	N.D.	N.D.	N.D.	Pass
60	N.D.	N.D.	N.D.	N.D.	Pass
61	N.D.	N.D.	N.D.	N.D.	Pass
63	N.D.	N.D.	N.D.	N.D.	Pass
64	N.D.	N.D.	N.D.	N.D.	Pass
65	N.D.	N.D.	N.D.	N.D.	Pass
67	N.D.	N.D.	N.D.	N.D.	Pass
69	N.D.	N.D.	N.D.	N.D.	Pass
70	N.D.	N.D.	N.D.	N.D.	Pass
71	N.D.	N.D.	N.D.	N.D.	Pass
76	N.D.	N.D.	N.D.	N.D.	Pass
80	N.D.	N.D.	N.D.	N.D.	Pass
© 481 81	N.D.	N.D.	N.D.	N.D.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C

Attestation of Global Compliance Std. & Tech.




Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019

Page 13 of 17

Test item	@ Milestation of C	(a) The station of Gloss			10
Seq. No.	DIBP	DBP	BBP	DEHP	Conclusion
83	N.D.	N.D.	N.D.	N.D.	Pass

Note: 1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)




The results spown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eart.com.



Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 14 of 17

4. For PBBs, PBDEs, DBP, BBP, DEHP, DIBP



Test result on specimen No.66 was resubmitted on Aug.30, 2019.

The photo of the sample



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at 15 tr. //www.agc.cont.com



Report No.: AGC-04094-19-08-02-001

Date: Sep.02, 2019

Page 15 of 17






5


6






7

8





(

10


The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attraction.



Report No.: AGC-04094-19-08-02-001

Date: Sep.02, 2019

Page 16 of 17






11


12






13

14





1.5

16

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attraction.


N0.10

Attestation of Global Compliance Std. & Tech.




Report No.: AGC-04094-19-08-02-001 Date: Sep.02, 2019 Page 17 of 17











AGC

AGC-04094-19-08-02-001

AGC authenticate the photo only on original report *** End of Report ***

The results shown if this iest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document

Attestation of Global Compliance Std. & Tech.