

Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page1 of 17

Applicant: Xindao B.V.

Address: P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands

Test site: 1,6/F.,Building 2,No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan

District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name: Swiss Peak 5.000 mAh pocket powerbank

Sample Model: P322.05

Attestation of Global Compliance Std. & Tech.

Sample Received Date: Sep.06, 2019

Testing Period: Sep.06, 2019 to Sep.16, 2019

Test Requested: Please refer to following page(s).

Test Method: Please refer to following page(s).

Test Result: Please refer to following page(s).

Approved by:

Littlinwen, Lewis

Technical Director

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page2 of 17

Test Requested: Conclusion

As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 on XRF and Chemical Method.

Pass

Test Methods:

A: Screening by X-ray Fluorescence Spectrometry (XRF): With reference to IEC 62321-3-1:2013 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

B:Chemical test:

Test Item	Test Method	Measuring Instrument	MDL	
Cadmium (Cd)	IEC 62321-5:2013	ICP-OES	2 mg/kg	
Lead (Pb)	IEC 62321-5:2013	ICP-OES	2 mg/kg	
Mercury (Hg)	IEC 62321-4: 2013+A1:2017	ICP-OES	2 mg/kg	
Non-metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017	UV-Vis	1 mg/kg	
Metal Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015	UV-Vis	CC TO	
PBBs/PBDEs	IEC 62321-6:2015	GC-MS	5 mg/kg	
Di-iso-butyl phthalate (DIBP)	大型	GC-MS	50 mg/kg	
Dibutyl phthalate (DBP)	TE (2001 0 2015)	GC-MS	50 mg/kg	
Butylbenzyl phthalate (BBP)	- IEC 62321-8:2017	GC-MS	50 mg/kg	
Di-(2-ethylhexyl) Phthalate (DEHP)	M. S. T.	GC-MS	50 mg/kg	

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cett.com.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page3 of 17

Test Results:

A, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq. No.	Tosted Device	ALLE:	Results(mg/kg)					
	Tested Part(s)	Cd	Pb	Hg	Cr	Br		
1	Black leather(panel)	BL	BL	BL	BL	BL		
2	Black plastic plate(panel)	BL	BL	BL	BL	BL		
3	Black leather mat(foot pad)	BL	BL	BL	BL	BL		
4	Transparent plastic piece(foot pad)	BL	BL	BL	BL	BL		
5	Grey coating(outer shell)	BL	BL	BL	BL	BL		
6	White plastic shell(outer shell)	BL	BL	BL	BL	BL		
7	Milky lamp post	BL	BL	BL	BL	BL		
8	Silver screw	BL	BL	BL	BL	N/A		
9	IC body(IC)	BL	BL	BL	BL	BL		
10	Tin plating(IC)	BL	BL	BL	BL	N/A		
11	Chip resistor	BL	BL	BL	BL	BL		
12	Grey magnetic plane inductance	BL	BL	BL	BL	BL		
13	Chip capacitor	BL	BL	BL	BL	BL		
14	Chip triode	BL	BL	BL	BL	BL		
15	Chip inductor	BL	BL	BL	BL	BL		
16	USB metal joint(USB joint)	BL	BL	BL	BL	N/A		
17	Black plastic joint(USB joint)	BL	BL	BL	X*	BL		
18	Contact pin(USB joint)	BL	BL	BL	BL	N/A		
19	TYPE-C metal connector	BL	BL	BL	X*	N/A		
20	Black plastic contact	BL	BL	BL	BL	BL		
21	Contact pin	BL	BL	BL	BL	N/A		
22	Black plastic button(touch switch)	BL	BL	BL	BL	BL		
23	Silver metal sheet(touch switch)	BL	BL	BL	BL	N/A		
24	Metal shrapnel(touch switch)	BL	BL	BL	X*	N/A		

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page4 of

Seq.			Results(mg/kg)					
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br		
25	White plastic base seat(touch switch)	BL	BL	BL	BL	BL		
26	Pin(safety capacitance)	BL	BL	BL	BL	N/A		
27	Blue plastic shell(safety capacitance)	BL	BL	BL	BL	X*		
28	Thin film(safety capacitance)	BL	BL	BL	BL	BL		
29	White bottom paper(induction coil)	BL	BL	BL	BL	BL		
30	Coil wire jacket(induction coil)	BL	BL	BL	BL	BL		
31	Blue transparent tape(induction coil)	BL	BL	BL	BL	BL		
32	Wire core(induction coil)	BL	BL	BL	BL	N/A		
33	Gray ceramic(induction coil)	BL	BL	BL	BL	BL		
34	Black double-sided adhesive(induction coil)	BL	BL	BL	BL	BL		
35	Red wire jacket(connecting wire)	BL	BL	BL	BL	BL		
36	Wire core(connecting wire)	BL	BL	BL	BL	N/A		
37	Black wire jacket(connecting wire)	BL	BL	BL	BL	BL		
38	Tin solder(connecting wire)	BL	BL	BL	BL	N/A		
39	Blue PCB board(connecting wire)	BL	BL	BL	BL	X*		
40	Micro metal connector(Micro wire)	BL	BL	BL	BL	N/A		
41	Black plastic contact(Micro wire)	BL	BL	BL	BL	BL		
42	Contact pin(Micro wire)	BL	BL	BL	BL	N/A		
43	Black foam (Micro wire)	BL	BL	BL	BL	BL		
44	Chip LED	BL	BL	BL	BL	BL		
45	Brown tape(battery)	BL	BL	BL	BL	BL		
46	Electric core(battery)	BL	BL	BL	BL	BL		
47	Tin solder(battery)	BL	BL	BL	BL	N/A		
48	Wire core(battery)	BL	BL	BL	BL	N/A		
49	Red wire jacket(battery)	BL	BL	BL	BL	BL		
50	Black wire jacket(battery)	BL	BL	BL	X*	BL		

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ACC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com. AGC



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019

Seq.	The state of the s		Results(mg/kg)					
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br		
51	Wrinkle paper(battery)	BL	BL	BL	BL	BL		
	USB wire	ation of Global	® Attestation of C	C	30			
52	Black metal handle(USB plug)	BL	BL	BL	BL	N/A		
53	USB metal plug(USB plug)	BL	BL	BL	BL	N/A		
54	Contact pin(USB plug)	BL	BL	BL	BL	N/A		
55	White plastic plug(USB plug)	BL	BL	BL	BL	BL		
56	Tin solder(USB plug)	BL	BL	BL	BL	N/A		
57	Black thread button(USB plug)	BL	BL	BL	BL	BL		
58	Tin solder(Micro plug)	BL	BL	BL	BL	N/A		
59	Black plastic plug(Micro plug)	BL	BL	BL	BL	BL		
60	Metal thimble(Micro plug)	BL	BL	BL	X*	N/A		
61	Contact pin(Micro plug)	BL	BL	BL	BL	N/A		
62	Micro metal plug(Micro plug)	BL	BL	BL	X*	N/A		
63	Black white braided wire sleeve(wire rod)	BL	BL	BL	BL	BL		
64	White outer wire jacket(wire rod)	BL	BL	BL	BL	BL		
65	Red wire jacket(wire rod)	BL	BL	BL	X*	BL		
66	Wire core(wire rod)	BL	BL	BL	BL	N/A		
67	Black wire jacket(wire rod)	BL	BL	BL	BL	BL		
68	Black leather buckle(wire buckle)	BL	BL	BL	BL	BL		
69	Metal buckle(wire buckle)	BL	BL	BL 🖘	BL	N/A		

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by KC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed with the confirmed of the confir



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page6 of 17

211111		-1000		
Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit

OL= Over limited X= Inconclusive

"N/A" = Not applicable

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cett.com.

^{*=} Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page7 of 17

Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from RoHS directive 2011/65/EU and its amendment directive (EU) 2015/863:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)			
Cadmium (Cd)	100			
Lead (Pb)	1000	To the parties of the		
Mercury (Hg)	1000	® # Jon of Golder		
Hexavalent Chromium (Cr(VI))	1000	C TO		
Polybrominated biphenyls (PBBs)	1000			
Polybrominateddiphenylethers (PBDEs)	1000	The Completion of The State of		
Di-iso-butyl phthalate (DIBP)	1000	Not Globa & Attestation of C		
Dibutyl phthalate (DBP)	1000			
Butylbenzyl phthalate (BBP)	1000	:100		
Di-(2-ethylhexyl) Phthalate (DEHP)	1000	The Manual Compilarios		

Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page8 of 17

B. The Test Results of Chemical Method:

1) The Test Results of non-metal Cr⁶⁺

T (14)				Result(s)			
Test Item(s)	Unit	17	50	65	Limit		
Hexavalent Chromium(Cr ⁶⁺)	mg/kg	N.D.	N.D.	N.D.	1000		

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page9 of 17

2)The Test Results of metalCr⁶⁺

Took Home(s)	MDI	Result(s)				
Test Item(s)	MDL	19	24	60	62	Limit
Hexavalent Chromium (Cr ⁶⁺)	See note	Negative	Negative	Negative	Negative	#

Note:

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result
1	The sample solution is <the 0,10="" cm<sup="" μg="">2 equivalent comparison standard solution</the>	The sample is negative for Cr(VI) – The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
5 C 2	The sample solution is \geq the 0,10 µg/cm ² and \leq the0,13 µg/cm ² equivalent comparison standard solutions	The result is considered to be inconclusive – Unavoidable coating variations may influence the determination.
3	The sample solution is > the 0,13 μg/cm ² equivalent comparison standard solution	The sample is positive for Cr(VI) – The Cr(VI) concentration is above the limit of quantification andthe statistical margin of error. The sample coating is considered to contain Cr(VI).

- # =Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areasunavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification andthe statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page10 of 17

3) The Test Results of PBBs & PBDEs

Unit: mg/kg

L. C.	MDI	Res	sult(s)	测于,不	
Item(s)	MDL	27	39	Limit	
Polybrominated Biphenyls (P	BBs)				
Monobromobiphenyl	5	N.D.	N.D.		
Dibromobiphenyl	5	N.D.	N.D.		
Tribromobiphenyl	5	N.D.	N.D.	The Complete	
Tetrabromobiphenyl	The Sound 5	N.D.	N.D.	Alles Jolion	
Pentabromobiphenyl	5	N.D.	N.D.	T. IDDD G	
Hexabromobiphenyl	5	N.D.	N.D.	Total PBBs Content <1000	
Heptabromobiphenyl	5	N.D.	N.D.	\\ \(\)	
Octabromobiphenyl	5	N.D.	N.D.	CC March	
Nonabromodiphenyl	5	N.D.	N.D.	-711	
Decabromodiphenyl	5	N.D.	N.D.	The Compliance The	
Total content	/	N.D.	N.D.	Jation of Ciobal (Ciobal)	
PolybrominatedDiphenylethe	rs (PBDEs)				
Monobromodiphenyl ether	5	N.D.	N.D.	-711	
Dibromodiphenyl ether	5	N.D.	N.D.	The Complaines	
Tribromodiphenyl ether	5	N.D.	N.D.	® All station of Giologia (S)	
Tetrabromodiphenyl ether	5	N.D.	N.D.	40 " VO	
Pentabromodiphenyl ether	5	N.D.	N.D.	T (1 DDD C)	
Hexabromodiphenyl ether	5	N.D.	N.D.	Total PBDEs Content <1000	
Heptabromodiphenyl ether	5	N.D.	N.D.	1000	
Octabromodiphenyl ether	5	N.D.	N.D.	100 3	
Nonabromodiphenyl ether	5	N.D.	N.D.		
Decabromodiphenyl ether	5	N.D.	N.D.	The Things (C	
Total content	1	N.D.	N.D.	® Find of clobal Co.	
Conclusion	Fland Company	Pass	Pass	Milean	

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million MDL = Method Detection Limit

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C

AGC



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page11 of 17

4)Test result of DBP, BBP, DEHP, DIBP content

Unit: mg/kg

Test item Limit	DIBP	DBP	BBP	DEHP	Conclusion
Seq. No.	1000	1000	1000	1000	
GG T	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
3.000	N.D.	N.D.	N.D.	N.D.	Pass
4 C 1	N.D.	N.D.	N.D.	N.D.	Pass
5	N.D.	N.D.	N.D.	N.D.	Pass
6	N.D.	N.D.	N.D.	N.D.	Pass
7. The Completion	N.D.	N.D.	N.D.	N.D.	Pass
9	N.D.	N.D.	N.D.	N.D.	Pass
11	N.D.	N.D.	N.D.	N.D.	Pass
12	N.D.	N.D.	N.D.	N.D.	Pass
130 And Colons	N.D.	N.D.	N.D.	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15	N.D.	N.D.	N.D.	N.D.	Pass
17	N.D.	N.D.	N.D.	N.D.	Pass
20	N.D.	N.D.	N.D.	N.D.	Pass
22	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass
27	N.D.	N.D.	N.D.	N.D.	Pass
28	N.D.	N.D.	N.D.	N.D.	Pass
29	N.D.	N.D.	N.D.	N.D.	Pass
30	N.D.	N.D.	N.D.	N.D.	Pass
31	N.D.	N.D.	N.D.	N.D.	Pass
33	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.	N.D.	N.D.	N.D.	Pass
35	N.D.	N.D.	N.D.	N.D.	Pass
® 44 37 °°°	N.D.	N.D.	N.D.	N.D.	Pass

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page12 of 17

The same	® The world world	3 of Gloral Co	- 60		\ G
Test item Limit	DIBP	DBP	BBP	DEHP	Conclusion
Seq. No.	1000	1000	1000	1000	© American of Cooks
39	N.D.	N.D.	N.D.	N.D.	Pass
41	N.D.	N.D.	N.D.	N.D.	Pass
43	N.D.	N.D.	N.D.	N.D.	Pass
44	N.D.	N.D.	N.D.	N.D.	Pass
9 45 9 45	N.D.	N.D.	N.D.	N.D.	Pass
46	N.D.	N.D.	N.D.	N.D.	Pass
49	N.D.	N.D.	N.D.	N.D.	Pass
50	N.D.	N.D.	N.D.	N.D.	Pass
S 21 00000	N.D.	N.D.	N.D.	N.D.	Pass
55	N.D.	N.D.	N.D.	N.D.	Pass
57	N.D.	N.D.	N.D.	N.D.	Pass
59	N.D.	N.D.	N.D.	N.D.	Pass
63	N.D.	N.D.	N.D.	N.D.	Pass
64	N.D.	N.D.	N.D.	N.D.	Pass
65	N.D.	N.D.	N.D.	N.D.	Pass
67	N.D.	N.D.	N.D.	N.D.	Pass
68	N.D.	N.D.	N.D.	N.D.	Pass

Note: 1.MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)


The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page13 of 17

Test Flow Chart



The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C



Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page14 of 17

The photo of the sample





1

2






3

4







The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.





Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page15 of 17







8





D. Alfand Carr






11 A Schular of Marchine 12

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attraction.




Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019 Page16 of 17






13





15





17

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attraction.

Attestation of Global Compliance Std. & Tech.



Page17 of 17 Report No.: AGC-04094-19-09-06-001 Date: Sep.16, 2019



AGC-04094-19-09-06-001

AGC authenticate the photo only on original report *** End of Report ***

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com. **LIGC**

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 400 089 2118

Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China