

Report No.: GNBZ200624231EN Date: 2020-07-09 Page 1 of 11

Applicant

Address :

Sample Name : Wireless chargers

Tested Model

Sample Receiving date : 2020-06-24

Test period : 2020-06-24 – 2020-07-02

Test Requirement : The Restriction of the Use of Certain Hazardous Substances in Electrical

and Electronic Equipment, RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

Test Method : Please refer to next page(s).

Test result : Please refer to next page(s).

Conclusion : Based on the verification results of the submitted sample(s), the results

of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(CrVI), Polybrominated biphenyls(PBBs), Polybrominated diphenyl ethers(PBDEs),

Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Di-2-ethylhexyl

phthalate(DEHP) and Di-iso-butyl phthalate(DIBP) content comply with the requirements as set by RoHS Directive 2011/65/EU and its amendment

Directive (EU) 2015/863.

Note : The test results are related only to the tested items.

# ORIGINAL

Authorized signature

Lab Manager: Gavin Zhou

GIG: TESTING CO.

2020-07-09



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 2 of 11

### A. Pb, Cd, Cr(VI), Hg, PBBs&PBDEs

### **Test Method:**

- 1. Disassembly, disjointment and mechanical sample preparation
  - -Ref. to IEC 62321-2:2013, Disassembly, disjointment and mechanical sample preparation.
- 2. With reference to IEC 62321-1:2013, tests were performed for the samples indicated by the photos in this report.
- (1) Screening Lead, mercury, cadmium, total chromium and total bromine
  - Ref. to IEC 62321-3-1:2013, Screening for Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry.
- (2) Wet chemical test method
  - a. Total Lead, Cadmium, Chromium and Mercury content
  - —Ref. to IEC 62321-4:2013+A1:2017, determination of Mercury in polymers, metals and electronics by ICP-OES.
  - Ref. to IEC 62321-5:2013, determination of Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by ICP-OES.
  - b. Chromium (VI) content
  - —For Colourless and coloured corrosion-protected coatings on metals, Ref. to IEC 62321-7-1:2015, determination of presence of hexavalent chromium (Cr(VI)) in colourless and coloured corrosion-protected coatings on metals by the colorimetric method.
  - For polymers and electronics, Ref. to IEC 62321-7-2:2017, determination of hexavalent chromium (Cr(VI)) in polymers and electronics by the colorimetric method.
  - c. PBBs, PBDEs
  - Ref. to IEC 62321-6:2015, determination of polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatograhy -mass spectrometry (GC-MS).



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 3 of 11

### Test result(s):

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
T all NO.	T art Description	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Corrolation
1	Bamboo	BL	BL	BL	BL	BL		Pass
2	White plastic	BL	BL	BL	BL	BL		Pass
3	Silvery metal	BL	BL	BL	BL			Pass
4	Metal (screw)	BL	BL	BL	IN		Cr(VI): Negative	Pass
5	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
6	Soldering tin	108 (BL)	BL	BL	BL			Pass
7	White plastic (support)	BL	BL	BL	BL	BL	4	Pass
8	Metal (contact pins)	BL	BL	BL	BL	-	14	Pass
9	White rubber frame	BL	BL	BL	BL	BL		Pass
10	White wire casing	BL	BL	BL	BL	BL	<del>/</del>	Pass
11	Pink wire sheath	BL	BL	BL	BL	BL		Pass
12	White wire sheath	BL	BL	BL	BL	BL		Pass
13	PCB board	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
14	SMD resistor	BL	BL	BL	BL	BL		Pass
15	SMD capacitor	BL	BL	BL	BL	BL		Pass
16	SMD diode	BL	BL	BL	BL	BL		Pass
17	SMD chip (IC)	BL	BL	BL	BL	BL		Pass
18	Soldering tin (wiring)	199 (BL)	BL	BL	BL	4		Pass
19	Soldering tin (SMD)	BL	BL	BL	BL		Pb: 114	Pass
20	Pink textile sleeve	BL	BL	BL	BL	BL		Pass
21	Yellow tape	BL	BL	BL	BL	BL		Pass
22	Magnet	BL	BL	BL	BL			Pass
23	Temperature sensor	BL	BL	BL	BL	BL		Pass
24	Black foam	BL	BL	BL	BL	BL		Pass
25	Red metal wire	BL	BL	BL	BL			Pass
26-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
26-2	Black plastic support	BL	BL	BL	BL	BL		Pass
26-3	Metal (contact pins)	BL	BL	BL	BL			Pass
27	Soldering tin	105 (BL)	BL	BL	BL			Pass



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 4 of 11

Part No.	Part Description	Results of EDXRF				Chemical confirmation	Conclusion	
	r art Description	Pb	Cd	Hg	Cr	Br	results (mg/kg)	Conclusion
28	PCB board	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
29	Soldering tin	186 (BL)	BL	BL	BL			Pass
30-1	Silvery metal	BL	BL	BL	IN		Cr(VI): Negative	Pass
30-2	White plastic	BL	BL	BL	BL	BL		Pass
30-3	Black plastic	BL	BL	BL	BL	BL		Pass
30-4	Metal (contact pins)	BL	BL	BL	BL			Pass
31	SMD audion	BL	BL	BL	BL	BL		Pass
32	Soldering tin	178 (BL)	BL	BL	BL		-	Pass
33	SMD chip	BL	BL	BL	BL	BL		Pass
34	Silvery metal	BL	BL	BL	BL		<del></del>	Pass
35-1	White plastic support	BL	BL	BL	BL	BL	/	Pass
35-2	Metal (contact pins)	BL	BL	BL	BL			Pass
36	Soldering tin (wiring)	378 (BL)	BL	BL	BL			Pass
37	PCB board	BL	BL	BL	BL	IN	PBBs: N.D. PBDEs: N.D.	Pass
38	White rubber	BL	BL	BL	BL	BL		Pass



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 5 of 11

### Remark:

- (^1) "---" = Not Applicable;
- (^2) (a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
  - (b) The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition.
  - (c) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warming value according to IEC 62321-3-1: 2013.

Attached table 1, XRF screening limits in mg/kg for regulated elements in various matrices:

Element	Polymer Materials	Metallic Materials	Electronics
Cd	BL≤(70-3σ)< X	BL≤(70-3σ)< X	LOD< X
	< (130+3σ) ≤OL	< (130+3σ) ≤OL	< (250+3σ) ≤OL
Pb	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Hg	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X
	< (1300+3σ) ≤OL	< (1300+3σ) ≤OL	< (1500+3σ) ≤OL
Br	BL≤(300-3σ)< X	N.A.	BL≤(250-3σ)< X
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X

Note: ① BL "below limit" = the result less than the limit.

- ② OL "over limit" = the result greater than the limit.
- ③ IN = inconclusive, the region where need further chemical testing by ICP-OES (for Pb, Cd, Hg), UV-VIS (for Cr(VI)) and GC/MSD (for PBBs, PBDEs).
- 4  $3\sigma$  = Repeability of the analyser at the action level.
- 5 LOD = Limit of detection.
- $(^3)$  (a) mg/kg = ppm = 0.0001%;
- (b) N.D. = Not detected (lower than RL);
- (c) Reporting Limit (RL) and Limit of Directive 2011/65/EU.

Parameter	Unit	Limit	Reporting Limit (RL)	
Lead (Pb)	mg/kg	1000	10	
Cadmium (Cd)	mg/kg	100	10	
Mercury (Hg)	mg/kg	1000	10	
Chromium VI (Cr VI)	mg/kg	1000	R1	
Group PBBs	mg/kg	1000	R2	
Group PBDEs	mg/kg	1000	R2	

R1: Cr(VI) for metal sample, the reporting limit (RL) = Method Detection Limit (MDL) = 0.10 ug/cm<sup>2</sup>. The reporting limit (RL) of Cr(VI) for polymers and electronics is 10mg/kg.

R2: The reporting limit (RL) for single compound of PBBs & PBDEs is 50mg/kg.



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 6 of 11

(d) According to IEC 62321-7-1:2015, result on Cr(VI) for metal sample is shown as Negative, Inconclusive or Positive: Negative = Absence of Cr(VI), Inconclusive = Maybe exist Cr(VI), Positive = Presence of Cr(VI).

1 331113 1 13331133 31 31 (11).					
Colorimetric result	Qualitative result				
(Cr(VI) concentration)					
The sample solution is < the 0.10	The sample is negative for Cr(VI)_The Cr(VI) concentration is				
ug/cm <sup>2</sup> equivalent comparison	below the limit of quantification. The coating is considered a				
standard solution	non-Cr(VI) based coating.				
The sample solution is ≥ the 0.10	The result is considered to be inconclusive – Unavoidable				
ug/cm² and ≤ the 0.13 ug/cm²	coating variations may influence the determination.				
equivalent comparison standard	Recommendation: if addition samples are available, perform a				
solutions	total of 3 trials to increase sampling surface area. Use the				
	averaged result of the 3 trials for the final determination.				
The sample solution is > the 0.13	The sample is positive for Cr(VI)_The Cr(VI) concentration is				
ug/cm <sup>2</sup> equivalent comparison	above the limit of quantification and the statistical margin of				
standard solution	error. The sample coating is considered to contain Cr(VI).				

# ORIGINAL



Report No.: GNBZ200624231EN Date: 2020-07-09 Page 7 of 11

### B. Phthalates—DBP, BBP, DEHP & DIBP

Test Method: Ref. to IEC 62321-8: 2017

Determination of Phthalates in polymers by Gas Chromatography-Mass Spectrometry

(GC-MS)

### **Test result:**

Test item	DBP	BBP	DEHP	DIBP
Maximum Permissible Limit (mg/kg)	1000	1000	1000	1000

Dort No.		Conclusion			
Part No.	DBP	BBP	DEHP	DIBP	Conclusion
1	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
7+26-2+35-1	N.D.	N.D.	N.D.	N.D.	Pass
9+38	N.D.	N.D.	N.D.	N.D.	Pass
10	90	N.D.	N.D.	N.D.	Pass
11+12	170	N.D.	N.D.	N.D.	Pass
13+28+37	N.D.	N.D.	N.D.	N.D.	Pass
20	N.D.	N.D.	N.D.	N.D.	Pass
21	N.D.	N.D.	N.D.	N.D.	Pass
24	N.D.	N.D.	N.D.	N.D.	Pass
30-2+30-3	N.D.	N.D.	N.D.	N.D.	Pass

Remark: 1. Reporting Limit (RL) for DBP, BBP, DEHP, DIBP = 50mg/kg.


2. N.D. = Not Detected (<RL).




Report No.: GNBZ200624231EN Date: 2020-07-09

Page 8 of 11

### Sample photo(s):





Test item: wireless chargers
Tested Model No.: AB0176-A





Report No.: GNBZ200624231EN Date: 2020-07-09 Page 9 of 11









Report No.: GNBZ200624231EN

Date: 2020-07-09


Page 10 of 11








Report No.: GNBZ200624231EN Date: 2020-07-09 Page 11 of 11





GIG authenticate the photo(s) on original report only

### \*\*\*\*End of Report\*\*\*\*