

TEST REPORT

Report No.:	BCTC2206092583-2R
Applicant:	
Product Name:	Hub
Product Type:	
Tested Date:	2022-06-09 to 2022-06-15
Issued Date:	2022-06-17

Shenzhen BCTC Testing Co., Ltd



No.: BCTC/RF-CH-005 Page 1 of 14 Edition: A.2

Product Name	Hub
Product Type	
Applicant	
Address	
Manufacturer	1
Address	/
Trademark	/
Sample Received Date	2022-06-09
Test Type	Entrustment Test
Test Method	See page 3 for details.
Test Requested	1. As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted sample(s) by XRF. 2. As specified by client, when screening results exceed the XRF screening limit in IEC 62321-3-1:2013, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the submitted samples. 3. As specified by client, to test the Diisobutyl phthalate(DIBP), Dibutyl phthalate(DBP), Butyl benzyl phthalate(BBP), Bis(2-ethylhexyl) phthalate(DEHP) in the submitted sample(s).
Test Standard	RoHS Directive 2011/65/EU and amendment Commission Delegated Directive (EU) 2015/863
Test Result	The samples were tested according to the entrusted requirements and test standard, and the test items of the test samples were qualified.
Tested by:	Approved by: Saher Chen Eve Saher Chen

No.: BCTC/RF-CH-005 Page 2 of 14 Edition / A.2



Test Method:

A. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1:2013.

	Screening limits of IEC 623	MDL		
Element	Polymers and metals	Composite material	Polymers	Other material
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(1500+3σ)≤ol<>	10 mg/kg	50 mg/kg
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(150+3σ)≤ol<>	10 mg/kg	50 mg/kg
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<(1500+3σ)≤ol<>	10 mg/kg	50 mg/kg
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<></td></x<>	BL≤(500-3σ) <x< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<>	10 mg/kg	50 mg/kg
Br	BL≤(300-3σ) <x< td=""><td>BL≤(250-3σ)<x< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<></td></x<>	BL≤(250-3σ) <x< td=""><td>10 mg/kg</td><td>50 mg/kg</td></x<>	10 mg/kg	50 mg/kg

Note:

- -BL = Under the XRF screening limit
- -OL = Further chemical test will be conducted while result is above the screening limit
- -X= The symbol "X" marks the region where further investigation is necessary
- -3σ = The reproducibility of analytical instruments
- -LOD= Detection limit
- -"--" = Not regulated.

B. Chemical Test

Test Item(s)	Test Method	Measured Equipment(s)	MDL	Limit
Lead (Pb)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	1000 mg/kg
Cadmium (Cd)	IEC 62321-5:2013 Ed.1.0	ICP-OES	2 mg/kg	100 mg/kg
Mercury (Hg)	IEC 62321-4:2013+AMD1:2017	ICP-OES	2 mg/kg	1000 mg/kg
Have valout Observivus On(A)	IEC 62321-7-1:2015 Ed.1.0	107040	-	1000 mg/kg
Hexavalent Chromium Cr(VI)	IEC 62321-7-2:2017 Ed.1.0	UV-VIS	8 mg/kg	1000 mg/kg
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015 Ed:1.0	HPLC-UV	5 mg/kg	1000 mg/kg
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015 Ed.1.0	HPLC-UV	5 mg/kg	1000 mg/kg
Phthalates	IEC 62321-8:2017 Ed.1.0	GC-MS	50 mg/kg	1000 mg/kg



Test Result(s):

Sample	Sample	Tested Items	XRF Screening Test	Chemical Test	Conclusion	
No.	Description Tested items		Unit (mg/kg)	Unit (mg/kg)	Conclusion	
		Pb	BL	1		
		Cd	BL	1		
1	Black plastic	Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	1		
	Disabasias	Cd	BL	1		
2	Black wire	Hg	BL	1	PASS	
	jacket	Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	1		
		Cd	BL	1		
3	Black plastic (thread end)	Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	1		
	Red wire jacket	Cd	BL	1		
4		Hg	BL	1	PASS	
		Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1		
		Pb	BL	1		
		Cd	BL	1.		
5	White wire jacket	Hg	BL	1	PASS	
		Cr(Cr(VI))	BL \			
		Br(PBBs&PBDEs)	BL			
		Pb	BL			
		Cd	BL			
6	Green wire	Hg	BL		PASS	
	jacket	Cr(Cr(VI))	BL			
		Br(PBBs&PBDEs)	BL			
		Pb	BL	1		
		Cd	BL	I		
7	Black wire	Hg	BL	1	PASS	
	jacket	Cr(Cr(VI))	-BL			
		Br(PBBs&PBDEs)	BL	J		



		Pb	BL	1	
8 Silver metal (USB)	Cd	BL	/		
		Hg	BL	/	PASS
	(USB)	Cr(Cr(VI))	BL	1	17.00
	Br(PBBs&PBDEs)		/		
		Pb	, BL	/	
		Cd	BL	/	
9	Silver metal		BL	/	PASS
9	(USB-C)	Hg Cr(Cr(V(I))	32523	•	FAGG
		Cr(Cr(VI))	/	Negative	
		Br(PBBs&PBDEs)	·	/	
		Pb	BL	/	
40	0 000	Cd	BL	/	D4.00
10	Green PCB	Hg	BL	/	PASS
		Cr(Cr(VI))	BL	/	
		Br(PBBs&PBDEs)	BL	1	
		Pb	BL	1	
		Cd	BL	1	
11	Tin solder	Hg	BL	1	PASS
		Cr(Cr(VI))	BL	1	
		Br(PBBs&PBDEs)	I	1	
		Pb	BL	1	
	Silver metal	Cd	BL	1	
12	(USB)	Hg	BL	1	PASS
	(03b)	Cr(Cr(VI))	BL	1	
		Br(PBBs&PBDEs)	1	1	
		Pb	BL	\/	:
	011	Cd	BL .	1	
13	Silver metal	Hg	BL	\ \ / \ \ \	PASS
	(USB-C)	Cr(Cr(VI))	55789	Negative	
		Br(PBBs&PBDEs)	1		
		Pb	BL.	XXX	
		Cd	BL		
14	IC	Hg	BL	1	PASS
		Cr(Cr(VI))	BL	1	
		Br(PBBs&PBDEs)	BL	1	
		Pb	·BL	1	
			Bl	1	
15	Crystal	Hg	BL	PAS	PASS
-	, , , , , , ,	Cr(Cr(VI))	BL		
		Br(PBBs&PBDEs)			




No.: BCTC/RF-CH-005

Report No.: BCTC2206092583-2R

	Pb	BL	1		
		Cd	BL	1	
16	SMD diode	Hg	BL	1	PASS
	Cr(Cr(VI))	BL	1		
		Br(PBBs&PBDEs)	BL	1	

Tested Item(s)	Results Unit (mg/kg)					
	1	2	3	4	5	
Diisobutyl phthalate(DIBP) CAS #:84-69-5	N.D.	N.D.	N.D.	N.D.	N.D.	
Dibutyl phthalate(DBP) CAS #:84-74-2	N.D.	N.D.	N.D.	N.D.	N.D.	
Butyl benzyl phthalate(BBP) CAS #:85-68-7	N.D.	N.D.	N.D.	N.D.	N.D.	
Bis(2-ethylhexyl) phthalate(DEHP) CAS #:117-81-7	N.D.	N.D.	N.D.	N.D.	N.D.	





Tested Item(s)	Results Unit (mg/kg)				
	6	7	10	14+16	
Diisobutyl phthalate(DIBP)	N.D.	N.D.	N.D.	N.D.	
CAS #:84-69-5	N.D.	N.D.			
Dibutyl phthalate(DBP)	N.D.	N.D.	N.D.	N.D.	
CAS #:84-74-2	N.D.				
Butyl benzyl phthalate(BBP)	N.D.	N.D.	N.D.	N.D.	
CAS #:85-68-7	IN.D.	N.D.	N.D.		
Bis(2-ethylhexyl) phthalate(DEHP)	N.D.	N.D.	N.D.	N.D.	
CAS #:117-81-7	IN.D.	IN.D.		IN.D.	

Note:

- -MDL = Method Detection Limit
- -N.D. = Not Detected (<MDL)
- -mg/kg = ppm = parts per million
- -" / "= Not conducted.
- -Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than $0.1\mu g/cm^2$ with $50cm^2$ sample surface area used.
- -Positive = Presence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is equal to or greater than $0.13\mu g/cm^2$ with $50cm^2$ sample surface area used.

Remark:

- -The screening results are only used for reference.
- -When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.


No.: BCTC/RF-CH-005 Page 7 of 14 Edition / A.2




Test Process:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

♦IEC 62321-5:2013 Ed.1.0




♦IEC 62321-4:2013+AMD1:2017






♦IEC 62321-7-1:2015 Ed.1.0




♦IEC 62321-7-2:2017 Ed.1.0






♦IEC 62321-6:2015 Ed.1.0



♦IEC 62321-8:2017 Ed.1.0







Photograph of Sample



Fig.1



Fig.2

No.: BCTC/RF-CH-005 Page 11 of 14 Edition A.2



Photo(s) of the tested component(s)




Fig.3




Fig.4

No.: BCTC/RF-CH-005 Page 12 of 14 Edition A.2







Fig.5



No.: BCTC/RF-CH-005



STATEMENT

- 1. The equipment lists are traceable to the national reference standards.
- 2. The test report can not be partially copied unless prior written approval is issued from our lab.
- 3. The test report is invalid without stamp of laboratory.
- 4. The test report is invalid without signature of person(s) testing and authorizing.
- 5. The test process and test result is only related to the Unit Under Test.
- 6. The quality system of our laboratory is in accordance with ISO/IEC17025.
- 7. If there is any objection to report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Tangwei, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P. C.: 518103

FAX: 0755-33229357

Website: http://www.chnbctc.com

E-Mail: bctc@bctc-lab.com.cn

**** END ****