

Date : 28-Oct-2014 Page : 1 of 7

# **TEST REPORT**

APPLICANT : Xindao B.V.

ADDRESS : P.O. Box 3082, 2280 GB, Rijswijk, The Netherlands

SAMPLE DESCRIPTION : Cooler Seat

<u>ITEM NO.</u> : P733.44

**COUNTRY OF ORIGIN** : China

<u>COUNTRY OF DESTINATION</u> : Europe

SAMPLE RECEIVED DATE : 09-Oct-2014

FURTHER INFORMATION DATE : 23-Oct-2014

TURN AROUND TIME : 23-Oct-2014 to 28-Oct-2014, 4 Working Days

The following test item(s) was/were performed on selected sample(s) and/or component(s) appointed by applicant.

TEST REQUESTED	RESULT
- Total Cadmium Content	Pass
- PAHs Content	Pass
- Banned AZO Dyes	Pass

Eurofins (Shanghai) contact information

Customer service: <u>EmilyDeng@eurofins.com</u> / 021-61819259 Sales specialist: <u>WandyShen@eurofins.com</u> / 18616155723

Signed for and on behalf of

Muis Zhang

Eurofins Product Testing Service (Shanghai) Co., Ltd

Chris Zhang

Lab Manager

Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to <a href="mailto:sh.info@eurofins.com">sh.info@eurofins.com</a> and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd.



Date : 28-Oct-2014 Page : 2 of 7

# **SAMPLE PHOTO(S)**



# EFSH14100285-CG



Date : 28-Oct-2014 Page : 3 of 7

# **COMPONENT LIST**

Component No.	Component	
1	Black plastic clasp	
2	Silvery lining	
3	Blue fabric body	
4	Black fabric edge	
5	Black tape	



Date : 28-Oct-2014

Page : 4 of 7

### **TEST RESULT**

### **Total Cadmium Content**

Test method : With reference to EN 1122: 2001, Method B, analysis was performed by ICP-OES.

Limit : Commission Regulation (EU) No 835/2012 amending Annex XVII of REACH Regulation (EC)

No 1907/2006-Cadmium (Cd).

Tosted Item(s)	Test Re	M.D.L.(%)	Limit(%)	
Tested Item(s)	1	2	WI.D.L.(%)	LIIIII(%)
Total Cadmium (Cd)	ND	ND	0.0005	0.01

#### Note:

M.D.L. = method detection limit ND = not detected, less than M.D.L.

### Polycyclic Aromatic Hydrocarbons (PAHs)

Test Requested : To determine the Polycyclic Aromatic Hydrocarbons (PAHs) content of the

submitted sample in accordance with Entry 50 of Regulation (EU) No 1272/2013

amending Annex XVII of REACH Regulation (EC) No 1907/2006.

Test Method : With reference to ISO 18287:2006, Analysis was performed by GC/MS.

Test Item(s)	Result (mg/kg) 1	MDL (mg/kg)	Limit (mg/kg)
Benzo(a)anthracene	ND	0.1	0.5
Chrysene	ND	0.1	0.5
Benzo(b)fluoranthene	ND	0.2	0.5
Benzo(j)fluoranthene	ND		0.5
Benzo(k)fluoranthene	ND	0.1	0.5
Benzo(a)pyrene	ND	0.1	0.5
Dibenzo(a,h)anthracene	ND	0.1	0.5
Benzo(e)pyrene	ND	0.1	0.5

### Note:

- (1) ND = Not detected
- (2) MDL = Method Detection Limit



Date : 28-Oct-2014

Page : 5 of 7

### **TEST RESULT**

### Polycyclic Aromatic Hydrocarbons (PAHs)

Test specification : 18 Polycyclic Aromatic Hydrocarbons in polymers (PAHs) (defined in US EPA

Method 610, and also Based on the document ZEK 01.4-08)

Test method : Solvent extraction and quantification by gas chromatography-mass selective

detection (GC-MS) with respect to ZEK 01.4-08

Requirement : ZLS-ZEK 01.4-08 (table 1): Limits for PAH in products. see below:

	Category 1	Category 2	Category 3	
	Materials intended to	Materials with foreseeable	Materials with	
	be put in the mouth, or	contact to skin for longer	foreseeable contact to	
Parameter	toys for children<36	than 30 seconds (long-term	skin up to 30 seconds	
	months	skin contact) and toys not	(short-term skin contact)	
		covered by category 1	or without skin contact	
Benzo(a)pyrene(mg/kg)	<0.2	1	20	
Sum 18 PAHs(mg/kg)	<0.2	10	200	
Parameter	CAS No.	Unit	Result	
Parameter	CAS No.	Unit	1	
Group PAHs		mg/kg	ND	
Acenaphthene	83-32-9	mg/kg	ND	
Acenaphthylene	208-96-8	mg/kg	ND	
Anthracene	120-12-7	mg/kg	ND	
Benzo(a)anthracene	56-55-3	mg/kg	ND	
Benzo(a)pyrene	50-32-8	mg/kg	ND	
Benzo(b)fluoranthene	205-99-2	mg/kg	ND	
Benzo(ghi)perylene	191-24-2	mg/kg	ND	
Benzo(k)fluoranthene	207-08-9	mg/kg	ND	
Chrysene	218-01-9	mg/kg	ND	
Dibenzo(a,h)anthracene	53-70-3	mg/kg	ND	
Fluoranthene	206-44-0	mg/kg	ND	
Fluorene	86-73-7	mg/kg	ND	
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	ND	
Naphthalene	91-20-3	mg/kg ND		
Phenanthrene	1985-1-8	mg/kg	ND	
Pyrene	129-00-0	mg/kg	ND	
Benzo(j)fluoranthene	205-82-3	mg/kg	ND	
Benzo(e)pyrene	192-97-2	mg/kg	ND	
Summary to above mentioned requirement:	For Category 2 skin con	Pass		

#### Note:

mg/kg = milligram per kilogram ND=not detected, less than 0.2 mg/kg



Date : 28-Oct-2014 Page : 6 of 7

### **TEST RESULT**

### **Banned AZO Dyes**

Test specification: Banned AZO-dyes (REACH Regulation (EC) No 1907/2006 (Annex XVII, No. 43),

previously restricted under Directive 2002/61/EC)

Test method: BS EN 14362-1:2012

10-60 mg/kg quantitative, >60 mg/kg semi quantitative

Determination by Gas Chromatography-Mass Selective Detection (GC-MSD) and Confirmation by High Performance Liquid Chromatographic Analysis (HPLC/DAD)

Requirement: 30 mg/kg for single material

Fashiddan Aminas	CAS No.	I In it	Result		
Forbidden Amines		Unit	3	5	
Conclusion			Pass	Pass	
4-Aminobiphenyl	92-67-1	mg/kg	ND	ND	
4,4'-Benzidine	92-87-5	mg/kg	ND	ND	
4-Chloro-2-methylaniline	95-69-2	mg/kg	ND	ND	
2-Naphthylamine	91-59-8	mg/kg	ND	ND	
o-Aminoazotoluene <sup>1</sup>	97-56-3	mg/kg	ND	ND	
5-Nitro-o-toluidine <sup>2</sup>	99-55-8	mg/kg	ND	ND	
4-Chloroaniline	106-47-8	mg/kg	ND	ND	
4-Methoxy-1,3-phenylenediamine	615-05-4	mg/kg	ND	ND	
Bis-(4-aminophenyl)methane	101-77-9	mg/kg	ND	ND	
3,3'-Dichlorobenzidine	91-94-1	mg/kg	ND	ND	
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	ND	ND	
3,3'-Dimethylbenzidine	119-93-7	mg/kg	ND	ND	
3,3'-Dimethyl-4,4'- diaminadiphenylmethane	838-88-0	mg/kg	ND	ND	
2-Methoxy-5-methylaniline	120-71-8	mg/kg	ND	ND	
4,4'-Methylene bis(o-chloroaniline)	101-14-4	mg/kg	ND	ND	
4,4'-Oxydianiline	101-80-4	mg/kg	ND	ND	
4,4'-Thiodianiline	139-65-1	mg/kg	ND	ND	
o-Tolidine	95-53-4	mg/kg	ND	ND	
2,4-Diaminotoluene	95-80-7	mg/kg	ND	ND	
2,4,5-Trimethylaniline	137-17-7	mg/kg	ND	ND	
o-Anisidine	90-04-0	mg/kg	ND	ND	
4-Amino-azobenzene <sup>3</sup>	60-09-3	mg/kg	ND	ND	

### Remarks:

ND: Not detected, less than 10 mg/kg(max.)

mg/kg = milligram per kilogram

Note 1 : o-Aminoazotoluene(CAS No.:97-56-3) is been reduced to o-Toluidine(CAS No.:95-53-4) and

quantified by this.

Note 2 : 5-Nitro-o-toluidine(CAS No.:99-55-8) is been reduced to 4-Methyl-m-phenylene Diamine (CAS

No.:95-80-7) and quantified by this.

Note 3 : 4-Amino-azobenzene(CAS No.:60-09-3) is detected as aniline. Need further confirmation

when detected.

Pass : According to the analysis carried out, AZO colorants, which release the listed Aromatic

amines under Directive 2002/61/EC, were not detected.



Date : 28-Oct-2014 Page : 7 of 7

### **TEST RESULT**

### **Banned AZO Dyes**

Test specification: Banned AZO-dyes (REACH Regulation (EC) No 1907/2006 (Annex XVII, No. 43),

previously restricted under Directive 2002/61/EC)

Test method: BS EN 14362-1:2012 and BS EN 14362-3:2012

10-60 mg/kg quantitative, >60 mg/kg semi quantitative

Determination by Gas Chromatography-Mass Selective Detection (GC-MSD) and Confirmation by High Performance Liquid Chromatographic Analysis (HPLC/DAD)

Requirement: 30 mg/kg for single material

	0.10.11		Result	
Forbidden Amines	CAS No.	Unit	4	
Conclusion			Pass	
4-Aminobiphenyl	92-67-1	mg/kg	ND	
4,4'-Benzidine	92-87-5	mg/kg	ND	
4-Chloro-2-methylaniline	95-69-2	mg/kg	ND	
2-Naphthylamine	91-59-8	mg/kg	ND	
o-Aminoazotoluene <sup>1</sup>	97-56-3	mg/kg	ND	
5-Nitro-o-toluidine <sup>2</sup>	99-55-8	mg/kg	ND	
4-Chloroaniline	106-47-8	mg/kg	ND	
4-Methoxy-1,3-phenylenediamine	615-05-4	mg/kg	ND	
Bis-(4-aminophenyl)methane	101-77-9	mg/kg	ND	
3,3'-Dichlorobenzidine	91-94-1	mg/kg	ND	
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	ND	
3,3'-Dimethylbenzidine	119-93-7	mg/kg	ND	
3,3'-Dimethyl-4,4'- diaminadiphenylmethane	838-88-0	mg/kg	ND	
2-Methoxy-5-methylaniline	120-71-8	mg/kg	ND	
4,4'-Methylene bis(o-chloroaniline)	101-14-4	mg/kg	ND	
4,4'-Oxydianiline	101-80-4	mg/kg	ND	
4,4'-Thiodianiline	139-65-1	mg/kg	ND	
o-Tolidine	95-53-4	mg/kg	ND	
2,4-Diaminotoluene	95-80-7	mg/kg	ND	
2,4,5-Trimethylaniline	137-17-7	mg/kg	ND	
o-Anisidine	90-04-0	mg/kg	ND	
4-Amino-azobenzene <sup>3</sup>	60-09-3	mg/kg	ND	

#### Remarks:

ND: Not detected, less than 10 mg/kg(max.)

mg/kg = milligram per kilogram

Note 1 : o-Aminoazotoluene(CAS No.:97-56-3) is been reduced to o-Toluidine(CAS No.:95-53-4) and

quantified by this.

Note 2 : 5-Nitro-o-toluidine(CAS No.:99-55-8) is been reduced to 4-Methyl-m-phenylene Diamine (CAS

No.:95-80-7) and quantified by this.

Note 3 : 4-Amino-azobenzene(CAS No.:60-09-3) is detected as aniline. Need further confirmation

when detected.

Pass : According to the analysis carried out, AZO colorants, which release the listed Aromatic

amines under Directive 2002/61/EC, were not detected.

\*\*\* END OF THE REPORT \*\*\*